**HAZARDOUS MATERIAL INFORMATION**

| VIRGINIA DEPARTMENT OF TRANSPORTATION<br><br>HAZARDOUS MATERIALS<br>DUE DILIGENCE CERTIFICATION FOR LOCALLY ADMINISTERED PROJECTS (EQ-121) | FORM EQ-121<br>(Revised 2/27/09)<br>**UPC:**<br>120650<br>**Project:**<br>Main Street / US 258 at Route 10 Bypass Intersection Improvement Project |
|---|---|

**I. APPLICABILITY:**

This form must be completed by the LPA and submitted to the VDOT District Environmental Manager who will use this as documentation to support the Environmental Certification (Form EQ-103) and/or PS&E Re-evaluation (Form EQ-200) for any construction project. No project will receive certification to advance to construction until the form is received.

**II. CONDITIONS:**

The LPA shall complete this form when all hazardous materials-related issues have been identified and addressed for the project. It is not necessary that all hazardous materials issued be resolved prior to submission of this form, however, a plan must be in place to ensure resolution. This form must be submitted prior to acquiring project Right-of-Way. All existing right of way, or properties to be acquired for use as right of way, must receive an appropriate level of study. This includes existing VDOT right of way, locality-owned, proffered, or donated properties.

**III. CERTIFICATION:**

I hereby certify that:

(1) _____Isle of Wight County_____ has performed studies, analyses, reviews and/or investigations of hazardous materials–related issues for all properties that it has acquired or intends to acquire for the project. Such studies, investigations, etc. constitute an appropriate level of inquiry to identify the likely presence of any hazardous substances or petroleum products or conditions that indicate an existing release, a past release, or the material threat of a release of hazardous substances into the soil, groundwater or surface water of the property or adjacent properties, or the presence of such impairments associated with buildings or structures. The following lists the consultants and reports that were utilized in the conduct of the due diligence studies:

| Consultant | Title of Consultant Report | Report Date |
|---|---|---|
| Kimley-Horn | *Limited Evaluation for Hazardous Materials* | 03-07-2024 |
| | | |
| | | |

(2) (Choose one of the following):

☐ No potential or actual contaminated environmental media or other environmental impairments that would affect construction were identified within the project right-of-way.

☒ Actual or potential environmental impairments have been noted on the following properties and as indicated, a cost estimate(s) of potential remediation/closure activities to meet state and/or federal regulations is provided as well as an indicator of any coordination made with the Virginia Department of Environmental Quality and/or the U.S. Environmental Protection Agency:

| Property | Parcel Number | Agency Coordination? | Closure/Remediation Estimate |
|---|---|---|---|
| 426 Main Street | 21A-04-035 | ☐ Yes ☒ No | $TBD |
| 518 Main Street | 21A-04-000I15 | ☐ Yes ☒ No | $TBD |
| 616 West Main Street | 21A-04-058 | ☐ Yes ☒ No | $TBD |
| 603 West Main Street | 21A-01-215 | ☐ Yes ☒ No | $TBD |

Attach additional pages as necessary.


(3) Where actual or potential environmental impairments have been identified, appropriate actions have been taken (or will be taken) to address these issues in terms of avoidance, containment, management, minimization or remediation. Where such actions are required to be taken during construction, appropriate contract provisions have been/will be developed to incorporate those costs as pay items in the contract.

(4) Estimated costs for regulatory closure/remediation have been/will be taken into consideration in determining fair market value for properties to be acquired.

(5) All structures will be inspected for the presence of asbestos-containing materials (ACM) and any regulated ACM will be removed in accordance with state and federal requirements.

(6) The construction contractor will be made aware of any environmental issues that may be encountered during construction and will be provided access to any study results to assist the Contractor in developing and implementing appropriate Employee Health and Safety measures.

Certification provided on behalf of ____Isle Of Wight_____ by:



Date: ___09.26.2024_____

_____
Local Official

Transportation Administrator
Title

**Memorandum**

**To:** **Isle of Wight County**

**From:** **Anna Gardner, WPIT**
**Kimley-Horn and Associates**

**Date:** **February 23, 2024**

**Project:** **US 258 and Route 10 Intersection**
**UPC# 120650**

**Subject:** **Limited Evaluation for Hazardous Materials**

Kimley-Horn and Associates, Inc. (Kimley-Horn) conducted a limited evaluation of the proposed subject property for the potential for encountering hazardous materials or petroleum-impacted soil during the construction of the project. Therefore, this evaluation is used to identify properties of concern that may have adversely impacted soil and groundwater quality in the footprint of the proposed improvements that would require deep excavation. Deep excavation is defined as soil excavation of three feet or greater below the current land surface. The memo identified such properties as sites of concern.

**Subject Property Location and Description**

The purpose of the proposed project is to improve the Route 258 at Route 10 intersection with the addition of travel lanes along Main Street / US 258. The proposed project will widen Main Street / US 258 from a single-thru lane in each direction to two-thru lanes in each direction. In addition, the existing left and right turn lanes will be restored throughout the intersection. The proposed roadway widening improvements will increase the capacity along Main Street / US 258 and increase the overall level of service of the intersection. The additional capacity along Main Street / US 258 will allow for more traffic signal green time to vehicles along Route 10. The proposed project also improves freight reliability for the US 258 west corridor by reducing travel time and vehicle delay through the intersection of Main Street and US 258, the improvements also make the corridor a more viable alternative route when incidents occur on parallel routes.

Additional improvements include curb and gutter improvements, drainage and stormwater management improvements, pedestrian accommodations, and traffic signal and pedestrian signal improvements. The improvements also consist of the design of a new park and ride lot on the northwest corner of the intersection. The proposed project may include dewatering activities.

The proposed project expands opportunities for the use of public transportation by improving the Park-and-Ride lot. The existing Park-and-Ride lot entrance will be reconfigured to improve ingress/egress via Pole Road, internal site circulation, and additional parking capacity. The increase in capacity will reduce delays for existing bus routes as well as provide safer internal circulation between the existing intersection, the park-and-ride entrance, and the exiting frontage road immediately adjacent to the lot which is shared with several commercial businesses. This project will

also help with economic development, as it will improve an intersection near a major sports complex being constructed nearby, that will serve the region as a tournament venue.

The US Geological Survey (USGS) Smithfield, VA 7.5 Minute Quadrangle Topographic Map indicates the elevation of the subject property is ±30 feet above the National Geodetic Vertical Datum of 1929. Most of the stormwater and surface water run-off from the subject property appears to flow along gutters and into storm sewer droplets along the streets or into Little Creek, south of the subject property.

The location and extent of the subject property are shown in Figures 1-3 within **Attachment A**.

## 1. Findings

The limited evaluation consisted of a site visit on December 7, 2023, and January 18, 2024, and a review of industry-standard state and federal environmental databases. The site visit was limited to a review of the subject property and adjacent properties. A summary of the findings from the review is as follows:

**1.1. Site Review/ Reconnaissance.** Site reconnaissance activities consisted of a visual inspection of the subject property from the existing right-of-way to identify any objects that have or may have adversely affected the soil and groundwater of the subject property. Evidence of spills and releases, underground storage tanks (USTs) and aboveground storage tanks (ASTs), and releases from transformers were of particular interest. The proposed subject property is located within a developed area of Smithfield, Virginia. The subject property and the adjacent area contain city right-of-way, commercial, and residential properties. The commercial properties in and directly adjacent to the subject property include 7-Eleven Convenience Store and Gas Station (on the subject property), Alvin's Barber Shop, U-Haul, West End Storage, Powerhouse Equipment, Smithfield Body & Frame (partially on and directly adjacent to the subject property), American Auto (100 feet from the subject property), Smithfield Commuter Parking Lot, Providential Credit care management, Main Street Baptist Church, The Schoolhouse Museum, Here or There Mower Parts and Repair (partially on and directly adjacent to the subject property), Main Street Laundry Land Laundromat, Seaborne Barber Shop, Cool Wave Car Wash, Voices for Kids CASA, Signature Styles, Smithfield Lumber Company Inc (partially on and directly adjacent to the subject property), and multiple apartment complexes.

A visual inspection of the subject property identified multiple above and below-ground utilities including power lines, sewage, gas lines, and communication lines. Multiple utility boxes were observed within the subject property. Pole-mounted transformers were observed within the subject property and the majority were labeled with non-PCB (polychlorinated biphenyl) stickers. Electrical transformers manufactured or installed before 1978 may contain PCB dielectric fluid in excess of 50 parts per million. At the time of the on-site inspection, no transformer fluids, oily stains, or stressed vegetation were evident on or near the base of these utility poles. Due to the overall observed condition of the transformers, it is not anticipated that the transformers currently present an environmental concern to the subject property. It is not uncommon for older residential structures to possess above- or

below-ground heating oil tanks; however, no above-ground storage tanks were observed during the site reconnaissance. In the forested areas of the site as well as the parking lot and roadside areas lots of household trash and debris were found. This includes glass bottles, plastic, tires, treated wood, concrete, and metal. A well was found in the southeast area of the subject property behind the Cool Wave Car Wash. Around 30 feet southwest of the well two metal pieces attached to the ground appear to have an underground component. This could potentially indicate an underground tank or utility unit. The status of the well is unknown but if it needs to be removed or closed during construction follow all applicable state or local regulations to do so. There is a large concrete pad in the eastern portion of the subject property which could indicate a structure was previously standing there.

Site photographs are provided in **Attachment B**.

1.2. **Major State and Federal Environmental Databases.** EDR provided an environmental database search of State and Federal regulatory agency records for the subject property (**Attachment C**). The following properties with records in the databases concerning the use or release of contaminants were located on parcels adjacent to the subject property:

- *426 Main Street* – The Gimme Shelter Thrift Shop, and former Cornett's Garage from 1969-2000, is located within and immediately north of the eastern portion of the subject property and lower in elevation to the subject property. This site is listed on the VA leaking tanks (LTANKS), UST, and EDR HIST AUTO databases. This facility is associated with Pollution Complaint Number (PC#) 2014-5047 and has been closed by the Virginia Department of Environmental Quality (VDEQ) dated 12/10/2013. Reportedly, there is one (1) 500-gallon gasoline UST that is permanently out of use, one (1) 1,000-gallon gasoline UST that is permanently out of use, and one (1) 500-gallon kerosene UST that is permanently out of use. No additional violations have been reported at this site. Deep excavation is proposed within the vicinity of this property.

- *415 Main Street* – The Smithfield LF-COFER, currently Cool Wave Car Wash, is located within the southeast portion of the subject property. This site is listed on the RGA LF, PFAS ECHO, and FINDS databases. No violations have been reported at the site according to the EDR. No deep excavation is proposed in the direct vicinity of this property; however, a stormwater pond is proposed to be built in the parcel to the south of this property.

- *518 Main Street* – The Grange at 10 Main, formally known as, the Littles Super Market, Inc. is located within and immediately north of the central portion of the subject property and higher in elevation of the subject property, and north of US 258. This site no longer has any buildings on it and is an empty pavement lot. This site is listed on the UST and LTANKS databases. Reportedly, there is one (1) 550-gallon diesel UST that is permanently out of use, one (1) 1,000-gallon kerosene UST that is closed in the ground, one (1) 10,000-gallon gasoline UST that has been removed from the ground, one (1) 4,000-gallon gasoline UST that has been removed from the ground, and one (1) 3,000-gallon gasoline UST that has been removed from the ground. This facility is associated

with Pollution Complain Number 20235017. The case was opened on 08/01/2022 and closed on 08/04/2022. No information was provided other than that the leak was from a federally regulated petroleum underground storage tank (UST) No additional violations have been reported at this site. Deep excavation is proposed within the vicinity of this property.

- *616 West Main Street* – The former Harvey Wilson facility is located immediately north of the subject property, and US 258, and is higher in elevation than the subject property. This site is listed on the EDR HIST CLEANER database. From 1974 to 1988 the site was a masonry and other stonework business and then from 1989 to 2008, the site was a dry cleaner. No violations have been reported at this site. According to the current listing, the property is now operating as Alvin's Barber Shop. No deep excavation is proposed in the vicinity of this property.

- *603 West Main Street* – The 7-Eleven, and former Smithfield Quick Stop Inc. and Tom and Jerry's Quick Stop Inc., is located within the western portion of the subject property at the intersection of US 258 and Great Spring Road. The site is listed on the EDR HIST AUTO, VA Leaking UST (LUST), LTANKS, UST, RGA (Recovered Government Archive) LUST, and Financial Assurance databases. The facility is associated with PC #2007-5088, which was closed by VDEQ with a no further action letter sent on 06/06/2007, and the EDR provided no additional information. The facility is also associated with PC#2007-T-0392, which was opened on 10/7/2006. The gas station had flooded and was underwater and gas from the underground storage tank leaked into the creek. The leak was contained, and the case was closed on 10/19/2006. Reportedly, there is one (1) 15,000-gallon gasoline UST that is currently in use, one (1) 10,000-gallon gasoline UST that is currently in use, and three (3) 8,000-gallon gasoline USTs that have been removed from the ground. No additional violations have been reported at this site. Deep excavation is proposed within the vicinity of this property.

Several additional properties were listed on the EDR database review. However, due to their proximity to the subject property, greater than 150 feet, these properties are not considered sites of concern. The EDR Radius Report is provided in **Attachment C**.

## 2. Conclusions and Recommendations

Based on a review of EDR-provided state and federal databases and limited site reconnaissance of onsite and adjacent properties, potential sites of concern were identified for the subject property. See below for more information:

- 426 Main Street: This is a site of concern due to the lack of information on the spill related to its pollution complaint number 2014-5047 as well as its history as an auto shop. There is a potential that the leaking tank leeched into an area that construction could potentially disturb. Deep excavation is proposed within the vicinity of this property.
- 518 Main Street: This is a site of concern due to the lack of information on the spill related to its pollution complaint number 2023-5017, whose contamination could be disturbed during construction. Deep excavation is proposed within the vicinity of this property.

- 616 West Main Street: This site is a site of concern because it was a dry cleaner for 20 years which may have caused residual contamination in the area that may be disturbed during construction. No deep excavation is proposed in the vicinity of this property.
- 603 West Main Street: This is a site of concern due to the information on the spill related to its pollution complaint number 2007-5088, whose contamination could be disturbed during construction. Deep excavation is proposed within the vicinity of this property.

Excavation for roadway work will not exceed 2 feet below ground surface (BGS), excavation for stormwater work will range from 8-10 feet BGS, and drainage installation work will range from 3-8 feet BGS. No major utility relocations are expected only minor relocations. There is potential that soil or groundwater contamination could be encountered during the construction of the project. If impacted soils and/or groundwater are encountered, the impacted soils and/or groundwater should be handled in accordance with all applicable state regulations. Specifications should be developed detailing the procedure for identifying and managing contaminated soil and/or groundwater generated during construction. If design changes occur, potential impacts should be reevaluated at that time.


A Phase I ESA is recommended for all complete and partial acquisitions containing or adjacent to the potential sites of concern. Depending on County protocol call and preference, there is also the option to do a limited review consisting of property owner interviews and a FIOA request to obtain additional information on the partial acquisitions.

The conclusions and recommendations contained within this report are based on a limited evaluation of the subject property. Kimley-Horn cannot provide complete assurance that all areas of potential soil and groundwater contamination have been identified.

**Attachment A: Figures**
**Attachment B: Site Photographs**
**Attachment C: EDR Report**

Attachment A




- SUBJECT PROPERTY
- WELL
- SOURCE OF ENVIRONMENTAL CONCERN

NOTES:

0 225 450 FT

1 IN =225 FT

**MAIN STREET/US 258 AT ROUTE 10 BYPASS INTERSECTION IMPROVEMENT PROJECT**
**ISLE OF WIGHT COUNTY, VA**


**PERTINENT SITE FEATURES**


Kimley»Horn

N

DATE: 2-15-2024

FIGURE: 4




SUBJECT PROPERTY

NOTES:

0 600 1,200 FT

1 IN =600 FT

**MAIN STREET/ US 258 AT ROUTE 10 BYPASS INTERSECTION IMPROVEMENT PROJECT ISLE OF WIGHT COUNTY, VA**

**SITE VICINITY**

Kimley»Horn

N

**DATE:** 01-10-2024

**FIGURE:** 1

SUBJECT PROPERTY

NOTES:
NEARMAP 2023 AERIAL IMAGE

0 600 1,200 FT

1 IN =600 FT

# MAIN STREET/ US 258 AT ROUTE 10 BYPASS INTERSECTION IMPROVEMENT PROJECT ISLE OF WIGHT COUNTY, VA


## 2023 AERIAL IMAGE


Kimley»Horn

N

DATE: 01-10-2024

FIGURE: 2




SUBJECT PROPERTY

NOTES:
USGS TOPOGRAPHIC QUAD

0 600 1,200 FT

1 IN =600 FT

**MAIN STREET/ US 258 AT ROUTE 10 BYPASS INTERSECTION IMPROVEMENT PROJECT**
**ISLE OF WIGHT COUNTY, VA**

**2023 AERIAL IMAGE**

Kimley»Horn

N

**DATE:** 01-10-2024

**FIGURE:** 3

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 1 of 14

Photo No. 1



Remarks: A large concrete pad where a structure potentially used to stand.

Location: The western portion of the subject property.

Photo No. 2



Remarks: Representative view of the southeastern portion of the subject property facing west.

Location: The western portion of the subject property.

Attachment B

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 3



Remarks: View of the Smithfield Body & Frame shop along Pole Road adjacent to the subject property.

Location: The northwestern portion of the subject property

Photo No. 4



Remarks: View of the grass area at the intersection of Route 10 and Main Street.

Location: The north-central portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 3 of 14

Photo No. 5




Remarks: View along Pole Road adjacent to the subject property.

Location: The northwestern portion of the subject property

Photo No. 6




Remarks: View of the City Commuter Parking Lot.

Location: The north-central portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 4 of 14

Photo No. 7



Remarks: View of the metal and concrete scattered in parts of the forested areas of the subject property.

Location: The forested area of the subject property.

Photo No. 8




Remarks: View of Powerhouse Equipment, which is part of and adjacent to the subject property.

Location: The western portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 5 of 14

Photo No. 9




Remarks: View of the 7-Eleven, which is part of and adjacent to the subject property.

Location: The western portion of the subject property.

Photo No. 10




Remarks: View if the Evergreen Cemetery, which is adjacent to the site to the south.

Location: The southeastern portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 11




Remarks: View of the intersection of Great Spring Road and W Main Street.

Location: The western portion of the subject property.

Photo No. 12



Remarks: View of the location of a former building north of Main Street adjacent and partially within the subject property.

Location: The central portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 7 of 14

Photo No. 13



Remarks: View of the adjacent Main Street Baptist Church and a pole-mounted transformer within the subject property.
Location: The central portion of the subject property.

Photo No. 14




Remarks: Representative view of utility boxes in and adjacent to the subject property.

Location: The central portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 15



Remarks: Representative view of pole-mounted transformers in and adjacent to the subject property.

Location: The central portion of the subject property.

Photo No. 16



Remarks: View of the Cool Wave Car Wash north of W Main Street in and adjacent to the subject property.

Location: The eastern portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 17



Remarks: Representative view of glass bottles that are scattered throughout the forested areas of the subject property.
Location: The forested area of the subject property.

Photo No. 18



Remarks: View of Great Springs Road facing south.

Location: The western portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 19



Remarks: View of the Smithfield Lumber Company property which is partially on and partially adjacent to the subject property.
Location: The western portion of the subject property.

Photo No. 20



Remarks: Representative view of the household trash and debris found in multiple of the forested areas of the subject property.
Location: The forested area of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 21



Remarks: Treated wood pile in the southeastern forested area of the subject property.

Location: The western portion of the subject property.

Photo No. 22



Remarks: Two small metal pieces attached to unknown underground items and the well onsite behind the car wash.

Location: The eastern portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024


Photo No. 23



Remarks: View of the pump house adjacent to the southwest portion of the subject property.

Location: The south-western portion of the subject property.

Photo No. 24



Remarks: View of Underwood Lane and residential properties inside of the subject property.

Location: The eastern portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 13 of 14

Photo No. 25




Remarks: View of Main Street facing west into the subject property.

Location: The eastern portion of the subject property.

Photo No. 26



Remarks: View of US 258/Route 10 facing north into the subject property.

Location: The south-central portion of the subject property.

Kimley»Horn
4525 Main Street, Suite 1000
Virginia Beach, VA 23462

# US 258 and Route 10 Intersection Improvements

## Photograph Sheet

KHA Job No.: 117032035
KHA Rep.: A. Gardner
Date: January 22, 2024
Page: 14 of 14

Photo No. 27



Remarks: Representative view of forested areas in the subject property.

Location: The forested area of the subject property.

Photo No. 28



Remarks: Representative view of wetlands in the forested areas in the subject property.

Location: The forested area of the subject property.

Attachment C

**US 258 and Route 10 Intersection**
603 W Main Street
Smithfield, VA 23430

Inquiry Number: 7537503.2s
January 09, 2024

# The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

# TABLE OF CONTENTS


| SECTION | PAGE |
|---|---|
| Executive Summary | ES1 |
| Overview Map | 2 |
| Detail Map | 3 |
| Map Findings Summary | 4 |
| Map Findings | 8 |
| Orphan Summary | 89 |
| Government Records Searched/Data Currency Tracking | GR-1 |

**GEOCHECK ADDENDUM**

| | |
|---|---|
| Physical Setting Source Addendum | A-1 |
| Physical Setting Source Summary | A-2 |
| Physical Setting SSURGO Soil Map | A-5 |
| Physical Setting Source Map | A-11 |
| Physical Setting Source Map Findings | A-13 |
| Physical Setting Source Records Searched | PSGR-1 |


***Thank you for your business.***
Please contact EDR at 1-800-352-0050
with any questions or comments.


**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

# EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

## TARGET PROPERTY INFORMATION

### ADDRESS

603 W MAIN STREET
SMITHFIELD, VA 23430

### COORDINATES

| | |
|---|---|
| Latitude (North): | 36.9773420 - 36° 58' 38.43'' |
| Longitude (West): | 76.6406940 - 76° 38' 26.49'' |
| Universal Tranverse Mercator: | Zone 18 |
| UTM X (Meters): | 353965.1 |
| UTM Y (Meters): | 4093413.5 |
| Elevation: | 30 ft. above sea level |

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

| | |
|---|---|
| Target Property Map: | 50021590 SMITHFIELD, VA |
| Version Date: | 2022 |
| Southeast Map: | 50021583 BENNS CHURCH, VA |
| Version Date: | 2022 |

### AERIAL PHOTOGRAPHY IN THIS REPORT

| | |
|---|---|
| Portions of Photo from: | 20180830 |
| Source: | USDA |

# MAPPED SITES SUMMARY

Target Property Address:
603 W MAIN STREET
SMITHFIELD, VA 23430

Click on Map ID to see full detail.

| MAP ID | SITE NAME | ADDRESS | DATABASE ACRONYMS | RELATIVE ELEVATION | DIST (ft. & mi.) DIRECTION |
|---|---|---|---|---|---|
| A1 | 7 ELEVEN INC 34729 | 603 W MAIN ST | LUST, LTANKS, UST, Financial Assurance | | TP |
| A2 | TOM AND JERRYS QUICK | 603 W MAIN ST | RGA LUST | | TP |
| A3 | 7 ELEVEN INC 34729 | 603 W MAIN ST | RGA LUST | | TP |
| A4 | CROWN GAS STATION | 603 W MAIN STREET | SPILLS | | TP |
| A5 | SMITHFIELD QUICK STO | 603 W MAIN ST | EDR Hist Auto | | TP |
| B6 | SMITHFIELD LF-COFER | 415 MAIN ST | RGA LF | Lower | 1 ft. |
| B7 | SMITHFIELD LF-COFER | | PFAS ECHO | Lower | 1 ft. |
| B8 | | 415 MAIN ST | RGA LF | Lower | 1 ft. |
| B9 | SMITHFIELD LF-COFER | 415 MAIN ST | FINDS | Lower | 1 ft. |
| C10 | THE GRANGE AT 10MAIN | 518 MAIN STREET - HW | LTANKS | Higher | 3, 0.001, |
| C11 | LITTLES SUPER MARKET | 518 MAIN STREET - HW | UST | Higher | 3, 0.001, |
| B12 | CORNETTS GARAGE | 426 MAIN ST. | UST | Lower | 13, 0.002, NE |
| B13 | CORNETTS GARAGE | 426 MAIN ST | EDR Hist Auto | Lower | 13, 0.002, NE |
| B14 | GEMMIE SHELTER | 426 MAIN ST. | LTANKS | Lower | 13, 0.002, NE |
| 15 | WILSON HARVEY | 616 MAIN ST | EDR Hist Cleaner | Higher | 38, 0.007, WSW |
| D16 | COFER AUTO SUPPLY IN | 407 GRACE STREET | RCRA-VSQG | Lower | 188, 0.036, NE |
| D17 | COFER AUTO SUPPLY IN | 407 GRACE ST | EDR Hist Auto | Lower | 188, 0.036, NE |
| D18 | COFER AUTO SUPPLY IN | 407 GRACE ST | RCRA-VSQG, FINDS, ECHO | Lower | 188, 0.036, NE |
| D19 | KEENS AUTOMOTIVE MAC | 405 GRACE ST | RCRA NonGen / NLR, FINDS, ECHO | Lower | 227, 0.043, NE |
| D20 | OLD HEALTH DEPARTMEN | 402 GRACE ST | LTANKS | Lower | 352, 0.067, NE |
| 21 | PARKER RESIDENCE | 700 MAIN STREET | LUST, LTANKS | Higher | 502, 0.095, WSW |
| 22 | PICOTT STELLA RESIDE | 107 COCKES LN | LUST, LTANKS, SPILLS | Higher | 629, 0.119, ENE |
| 23 | BARLOW PROPERTY | 227 JAMES ST | LTANKS | Lower | 850, 0.161, NNE |
| E24 | BEN FRANKLIN STORE | 217 MAIN ST | LUST, LTANKS | Higher | 1211, 0.229, ENE |
| E25 | FORMER GAS STATION | 204 MAIN STREET | LUST, LTANKS, UST | Higher | 1417, 0.268, ENE |
| F26 | TOWN OF SMITHFIELD P | 117 N CHURCH ST | LUST, LTANKS | Higher | 1798, 0.341, NE |
| F27 | REDLIN ROBERT PROPER | 119 N CHURCH ST | LUST, LTANKS | Higher | 1820, 0.345, NE |
| 28 | SYDNORS PARTS & SERV | 104 N. CHURCH STREET | LUST, LTANKS | Higher | 1885, 0.357, NE |
| 29 | TOWN OF SMITHFIELD P | 888 W MAIN ST | LTANKS | Higher | 2334, 0.442, WSW |
| 30 | S.W. RAWLS, INC / BU | 895 MAIN ST | LUST, LTANKS, UST, AST, SPILLS | Higher | 2492, 0.472, WSW |
| 31 | SMITHFIELD DRYCLEANE | 230 N CHURCH STREET | LUST, LTANKS, FINDS, ECHO | Lower | 2571, 0.487, NE |
| 32 | SMITHFIELD FOODS COR | 200 COMMERCE STREET | LUST, LTANKS, UST | Lower | 2637, 0.499, NE |

# EXECUTIVE SUMMARY

**TARGET PROPERTY SEARCH RESULTS**

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

| Site | Database(s) | EPA ID |
|---|---|---|
| 7 ELEVEN INC 34729<br>603 W MAIN ST<br>SMITHFIELD, VA 23430 | LUST<br>Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000067062<br>Pollution Complaint Num: 20075088<br>LTANKS<br>Facility Status: Closed<br>CEDS Facility Id: 200000067062<br>Pollution Complaint #: 20075088<br>UST<br>CEDS Facility ID: 200000067062<br>Tank Status: REM FROM GRD<br>Tank Status: CURR IN USE<br>Facility Id: 5014370<br>Financial Assurance<br>Database: Financial Assurance 1, Date of Government Version: 07/20/2023<br>Facility ID: 5014370<br>ROF Own Id: 47914 | N/A |
| TOM AND JERRYS QUICK<br>603 W MAIN ST<br>SMITHFIELD, VA | RGA LUST<br>Facility ID: 200000067062 | N/A |
| 7 ELEVEN INC 34729<br>603 W MAIN ST<br>SMITHFIELD, VA | RGA LUST<br>Facility ID: 200000067062 | N/A |
| CROWN GAS STATION<br>603 W MAIN STREET<br>ISLE OF WIGHT (County), VA | SPILLS<br>Database: SPILLS TD, Date of Government Version: 09/17/2009<br>Date Closed: 10/19/2006<br>Incident Response: 2007-T-0392 | N/A |
| SMITHFIELD QUICK STO<br>603 W MAIN ST<br>SMITHFIELD, VA 23430 | EDR Hist Auto | N/A |

# EXECUTIVE SUMMARY

**DATABASES WITH NO MAPPED SITES**

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

**STANDARD ENVIRONMENTAL RECORDS**

***Lists of Federal NPL (Superfund) sites***

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

***Lists of Federal Delisted NPL sites***

Delisted NPL ---------- National Priority List Deletions

***Lists of Federal sites subject to CERCLA removals and CERCLA orders***

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

***Lists of Federal CERCLA sites with NFRAP***

SEMS-ARCHIVE ---------- Superfund Enterprise Management System Archive

***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS ---------- Corrective Action Report

***Lists of Federal RCRA TSD facilities***

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

***Lists of Federal RCRA generators***

RCRA-LQG ---------- RCRA - Large Quantity Generators
RCRA-SQG ---------- RCRA - Small Quantity Generators

***Federal institutional controls / engineering controls registries***

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROLS ---------- Institutional Controls Sites List

***Federal ERNS list***

ERNS ---------- Emergency Response Notification System

***Lists of state- and tribal hazardous waste facilities***

SHWS ---------- This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

# EXECUTIVE SUMMARY

***Lists of state and tribal landfills and solid waste disposal facilities***

SWF/LF ---------- Solid Waste Management Facilities

***Lists of state and tribal leaking storage tanks***

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land

***Lists of state and tribal registered storage tanks***

FEMA UST ---------- Underground Storage Tank Listing
AST ---------- Registered Petroleum Storage Tanks
INDIAN UST ---------- Underground Storage Tanks on Indian Land

***State and tribal institutional control / engineering control registries***

ENG CONTROLS ---------- Engineering Controls Sites Listing
INST CONTROL ---------- Voluntary Remediation Program Database

***Lists of state and tribal voluntary cleanup sites***

VCP ---------- Voluntary Remediation Program
INDIAN VCP ---------- Voluntary Cleanup Priority Listing

***Lists of state and tribal brownfield sites***

BROWNFIELDS ---------- Brownfields Site Specific Assessments

**ADDITIONAL ENVIRONMENTAL RECORDS**

***Local Brownfield lists***

US BROWNFIELDS ---------- A Listing of Brownfields Sites

***Local Lists of Landfill / Solid Waste Disposal Sites***

INDIAN ODI ---------- Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ---------- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---------- Open Dump Inventory
IHS OPEN DUMPS ---------- Open Dumps on Indian Land

***Local Lists of Hazardous waste / Contaminated Sites***

US HIST CDL ---------- Delisted National Clandestine Laboratory Register
US CDL ---------- National Clandestine Laboratory Register

***Local Land Records***

LIENS 2 ---------- CERCLA Lien Information

***Records of Emergency Release Reports***

HMIRS ---------- Hazardous Materials Information Reporting System

| | |
|---|---|
| SPILLS 90 | SPILLS 90 data from FirstSearch |

***Other Ascertainable Records***

| | |
|---|---|
| FUDS | Formerly Used Defense Sites |
| DOD | Department of Defense Sites |
| SCRD DRYCLEANERS | State Coalition for Remediation of Drycleaners Listing |
| US FIN ASSUR | Financial Assurance Information |
| EPA WATCH LIST | EPA WATCH LIST |
| 2020 COR ACTION | 2020 Corrective Action Program List |
| TSCA | Toxic Substances Control Act |
| TRIS | Toxic Chemical Release Inventory System |
| SSTS | Section 7 Tracking Systems |
| ROD | Records Of Decision |
| RMP | Risk Management Plans |
| RAATS | RCRA Administrative Action Tracking System |
| PRP | Potentially Responsible Parties |
| PADS | PCB Activity Database System |
| ICIS | Integrated Compliance Information System |
| FTTS | FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) |
| MLTS | Material Licensing Tracking System |
| COAL ASH DOE | Steam-Electric Plant Operation Data |
| COAL ASH EPA | Coal Combustion Residues Surface Impoundments List |
| PCB TRANSFORMER | PCB Transformer Registration Database |
| RADINFO | Radiation Information Database |
| HIST FTTS | FIFRA/TSCA Tracking System Administrative Case Listing |
| DOT OPS | Incident and Accident Data |
| CONSENT | Superfund (CERCLA) Consent Decrees |
| INDIAN RESERV | Indian Reservations |
| FUSRAP | Formerly Utilized Sites Remedial Action Program |
| UMTRA | Uranium Mill Tailings Sites |
| LEAD SMELTERS | Lead Smelter Sites |
| US AIRS | Aerometric Information Retrieval System Facility Subsystem |
| US MINES | Mines Master Index File |
| ABANDONED MINES | Abandoned Mines |
| MINES MRDS | Mineral Resources Data System |
| UXO | Unexploded Ordnance Sites |
| DOCKET HWC | Hazardous Waste Compliance Docket Listing |
| ECHO | Enforcement & Compliance History Information |
| FUELS PROGRAM | EPA Fuels Program Registered Listing |
| PFAS NPL | Superfund Sites with PFAS Detections Information |
| PFAS FEDERAL SITES | Federal Sites PFAS Information |
| PFAS TRIS | List of PFAS Added to the TRI |
| PFAS TSCA | PFAS Manufacture and Imports Information |
| PFAS RCRA MANIFEST | PFAS Transfers Identified In the RCRA Database Listing |
| PFAS ATSDR | PFAS Contamination Site Location Listing |
| PFAS WQP | Ambient Environmental Sampling for PFAS |
| PFAS NPDES | Clean Water Act Discharge Monitoring Information |
| PFAS ECHO FIRE TRAINING | Facilities in Industries that May Be Handling PFAS Listing |
| PFAS PART 139 AIRPORT | All Certified Part 139 Airports PFAS Information Listing |
| AQUEOUS FOAM NRC | Aqueous Foam Related Incidents Listing |
| BIOSOLIDS | ICIS-NPDES Biosolids Facility Data |
| AIRS | Permitted Airs Facility List |
| NPDES | Comprehensive Environmental Data System |

# EXECUTIVE SUMMARY

COAL ASH..... Coal Ash Disposal Sites
DRYCLEANERS..... Drycleaner List
ENF..... Enforcement Actions Data
TIER 2..... Tier 2 Information Listing
UIC..... Underground Injection Control Wells

**EDR HIGH RISK HISTORICAL RECORDS**

***EDR Exclusive Records***

EDR MGP..... EDR Proprietary Manufactured Gas Plants

**SURROUNDING SITES: SEARCH RESULTS**

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

**STANDARD ENVIRONMENTAL RECORDS**

***Lists of Federal RCRA generators***

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 12/04/2023 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| COFER AUTO SUPPLY IN<br>EPA ID:: VAD988228250 | 407 GRACE STREET | NE 0 - 1/8 (0.036 mi.) | D16 | 35 |
| ***COFER AUTO SUPPLY IN***<br>EPA ID:: VAD988206009 | ***407 GRACE ST*** | ***NE 0 - 1/8 (0.036 mi.)*** | ***D18*** | ***39*** |

***Lists of state and tribal leaking storage tanks***

LUST: The Leaking Underground Storage Tank Database.

A review of the LUST list, as provided by EDR, has revealed that there are 10 LUST sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***PARKER RESIDENCE*** | ***700 MAIN STREET*** | ***WSW 0 - 1/8 (0.095 mi.)*** | ***21*** | ***47*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000066479<br>Pollution Complaint Num: 19952223 | | | | |
| ***PICOTT STELLA RESIDE*** | ***107 COCKES LN*** | ***ENE 0 - 1/8 (0.119 mi.)*** | ***22*** | ***48*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000854081<br>Pollution Complaint Num: 20115012 | | | | |
| ***BEN FRANKLIN STORE*** | ***217 MAIN ST*** | ***ENE 1/8 - 1/4 (0.229 mi.)*** | ***E24*** | ***52*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000845832<br>Pollution Complaint Num: 20075082 | | | | |
| ***FORMER GAS STATION*** | ***204 MAIN STREET*** | ***ENE 1/4 - 1/2 (0.268 mi.)*** | ***E25*** | ***53*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000087468<br>Pollution Complaint Num: 19972212 | | | | |
| ***TOWN OF SMITHFIELD P*** | ***117 N CHURCH ST*** | ***NE 1/4 - 1/2 (0.341 mi.)*** | ***F26*** | ***58*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000855390<br>Pollution Complaint Num: 20115116 | | | | |
| ***REDLIN ROBERT PROPER*** | ***119 N CHURCH ST*** | ***NE 1/4 - 1/2 (0.345 mi.)*** | ***F27*** | ***59*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000854985<br>Pollution Complaint Num: 20115090 | | | | |
| ***SYDNORS PARTS & SERV*** | ***104 N. CHURCH STREET*** | ***NE 1/4 - 1/2 (0.357 mi.)*** | ***28*** | ***61*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000065218<br>Pollution Complaint Num: 19962229<br>Pollution Complaint Num: 19972213 | | | | |
| ***S.W. RAWLS, INC / BU*** | ***895 MAIN ST*** | ***WSW 1/4 - 1/2 (0.472 mi.)*** | ***30*** | ***64*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000091626<br>Pollution Complaint Num: 20095059<br>Pollution Complaint Num: 20065046<br>Pollution Complaint Num: 20065095<br>Pollution Complaint Num: 20075050 | | | | |

Pollution Complaint Num: 19992393

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***SMITHFIELD DRYCLEANE*** | ***230 N CHURCH STREET*** | ***NE 1/4 - 1/2 (0.487 mi.)*** | ***31*** | ***84*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000067063<br>Pollution Complaint Num: 19972393 | | | | |
| ***SMITHFIELD FOODS COR*** | ***200 COMMERCE STREET*** | ***NE 1/4 - 1/2 (0.499 mi.)*** | ***32*** | ***86*** |
| Database: LUST REG TD, Date of Government Version: 06/30/2013<br>Facility Status: Closed<br>Facility ID: 200000067055<br>Pollution Complaint Num: 19972379 | | | | |

LTANKS: The Leaking Tanks Database contains current Leaking petroleum tanks. The data comes from the Department of Environmental Quality.

A review of the LTANKS list, as provided by EDR, and dated 08/02/2023 has revealed that there are 15 LTANKS sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| THE GRANGE AT 10MAIN | 518 MAIN STREET - HW | 0 - 1/8 (0.001 mi.) | C10 | 22 |
| Facility Status: Closed<br>CEDS Facility Id: 200000065972<br>Pollution Complaint #: 20235017 | | | | |
| ***PARKER RESIDENCE*** | ***700 MAIN STREET*** | ***WSW 0 - 1/8 (0.095 mi.)*** | ***21*** | ***47*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000066479<br>Pollution Complaint #: 19952223 | | | | |
| ***PICOTT STELLA RESIDE*** | ***107 COCKES LN*** | ***ENE 0 - 1/8 (0.119 mi.)*** | ***22*** | ***48*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000854081<br>Pollution Complaint #: 20115012 | | | | |
| ***BEN FRANKLIN STORE*** | ***217 MAIN ST*** | ***ENE 1/8 - 1/4 (0.229 mi.)*** | ***E24*** | ***52*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000845832<br>Pollution Complaint #: 20075082 | | | | |
| ***FORMER GAS STATION*** | ***204 MAIN STREET*** | ***ENE 1/4 - 1/2 (0.268 mi.)*** | ***E25*** | ***53*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000087468<br>Pollution Complaint #: 19972212 | | | | |
| ***TOWN OF SMITHFIELD P*** | ***117 N CHURCH ST*** | ***NE 1/4 - 1/2 (0.341 mi.)*** | ***F26*** | ***58*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000855390<br>Pollution Complaint #: 20115116 | | | | |
| ***REDLIN ROBERT PROPER*** | ***119 N CHURCH ST*** | ***NE 1/4 - 1/2 (0.345 mi.)*** | ***F27*** | ***59*** |
| Facility Status: Closed<br>CEDS Facility Id: 200000854985<br>Pollution Complaint #: 20115090 | | | | |
| ***SYDNORS PARTS & SERV*** | ***104 N. CHURCH STREET*** | ***NE 1/4 - 1/2 (0.357 mi.)*** | ***28*** | ***61*** |

Facility Status: Closed
CEDS Facility Id: 200000065218
Pollution Complaint #: 19962229
Pollution Complaint #: 19972213

| | | | | |
|---|---|---|---|---|
| TOWN OF SMITHFIELD P<br>Facility Status: Closed<br>CEDS Facility Id: 200000886293<br>Pollution Complaint #: 20185156 | 888 W MAIN ST | WSW 1/4 - 1/2 (0.442 mi.) | 29 | 63 |
| ***S.W. RAWLS, INC / BU***<br>Facility Status: Closed<br>CEDS Facility Id: 200000091626<br>Pollution Complaint #: 20065095<br>Pollution Complaint #: 20065046<br>Pollution Complaint #: 20095059<br>Pollution Complaint #: 20075050<br>Pollution Complaint #: 19943566<br>**Additional key fields are available in the Map Findings section* | ***895 MAIN ST*** | ***WSW 1/4 - 1/2 (0.472 mi.)*** | ***30*** | ***64*** |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| GEMMIE SHELTER<br>Facility Status: Closed<br>CEDS Facility Id: 200000064683<br>Pollution Complaint #: 20145047 | 426 MAIN ST. | NE 0 - 1/8 (0.002 mi.) | B14 | 33 |
| OLD HEALTH DEPARTMEN<br>Facility Status: Closed<br>CEDS Facility Id: 200000860069<br>Pollution Complaint #: 20145013 | 402 GRACE ST | NE 0 - 1/8 (0.067 mi.) | D20 | 46 |
| BARLOW PROPERTY<br>Facility Status: Closed<br>CEDS Facility Id: 200000874227<br>Pollution Complaint #: 20145147 | 227 JAMES ST | NNE 1/8 - 1/4 (0.161 mi.) | 23 | 51 |
| ***SMITHFIELD DRYCLEANE***<br>Facility Status: Closed<br>CEDS Facility Id: 200000067063<br>Pollution Complaint #: 19972393 | ***230 N CHURCH STREET*** | ***NE 1/4 - 1/2 (0.487 mi.)*** | ***31*** | ***84*** |
| ***SMITHFIELD FOODS COR***<br>Facility Status: Closed<br>CEDS Facility Id: 200000067055<br>Pollution Complaint #: 19972379 | ***200 COMMERCE STREET*** | ***NE 1/4 - 1/2 (0.499 mi.)*** | ***32*** | ***86*** |

***Lists of state and tribal registered storage tanks***

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Underground Storage Tank Data Notification Information.

A review of the UST list, as provided by EDR, and dated 07/04/2023 has revealed that there are 2 UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| LITTLES SUPER MARKET<br>CEDS Facility ID: 200000065972<br>Tank Status: PERM OUT OF USE<br>Tank Status: CLS IN GRD<br>Tank Status: REM FROM GRD<br>Facility Id: 5005879 | 518 MAIN STREET - HW | 0 - 1/8 (0.001 mi.) | C11 | 23 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| CORNETTS GARAGE<br>CEDS Facility ID: 200000064683<br>Tank Status: PERM OUT OF USE<br>Facility Id: 5018689 | 426 MAIN ST. | NE 0 - 1/8 (0.002 mi.) | B12 | 29 |

**ADDITIONAL ENVIRONMENTAL RECORDS**

***Other Ascertainable Records***

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/04/2023 has revealed that there is 1 RCRA NonGen / NLR site within approximately 0.25 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| ***KEENS AUTOMOTIVE MAC***<br>EPA ID:: VAD065377392 | ***405 GRACE ST*** | ***NE 0 - 1/8 (0.043 mi.)*** | ***D19*** | ***43*** |

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 11/03/2023 has revealed that there is 1 FINDS site within approximately 0.001 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| SMITHFIELD LF-COFER<br>Registry ID:: 110014012834 | 415 MAIN ST | 0 - 1/8 (0.000 mi.) | B9 | 21 |

PFAS ECHO: Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

A review of the PFAS ECHO list, as provided by EDR, and dated 09/23/2023 has revealed that there is 1 PFAS ECHO site within approximately 0.25 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| SMITHFIELD LF-COFER | | 0 - 1/8 (0.000 mi.) | B7 | 20 |

**EDR HIGH RISK HISTORICAL RECORDS**

***EDR Exclusive Records***

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 2 EDR Hist Auto sites within approximately 0.125 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| CORNETTS GARAGE | 426 MAIN ST | NE 0 - 1/8 (0.002 mi.) | B13 | 33 |
| COFER AUTO SUPPLY IN | 407 GRACE ST | NE 0 - 1/8 (0.036 mi.) | D17 | 38 |

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| WILSON HARVEY | 616 MAIN ST | WSW 0 - 1/8 (0.007 mi.) | 15 | 34 |

# EXECUTIVE SUMMARY

**EDR RECOVERED GOVERNMENT ARCHIVES**

***Exclusive Recovered Govt. Archives***

RGA LF: The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Virgina.

A review of the RGA LF list, as provided by EDR, has revealed that there are 2 RGA LF sites within approximately 0.001 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|---|---|---|
| SMITHFIELD LF-COFER | 415 MAIN ST | 0 - 1/8 (0.000 mi.) | B6 | 19 |
| Not reported | 415 MAIN ST | 0 - 1/8 (0.000 mi.) | B8 | 21 |

# EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.

| Site Name | Database(s) |
|---|---|
| GWALTNEY TREY PROPERTY | LUST, LTANKS |

# OVERVIEW MAP - 7537503.2S




Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

0 1/4 1/2 1 Miles

Indian Reservations BIA

Power transmission lines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory

N

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

| | | | |
|---|---|---|---|
| SITE NAME: | US 258 and Route 10 Intersection | CLIENT: | Kimley Horn & Associates |
| ADDRESS: | 603 W Main Street<br>Smithfield VA 23430 | CONTACT: | Anna Gardner |
| | | INQUIRY #: | 7537503.2s |
| LAT/LONG: | 36.977342 / 76.640694 | DATE: | January 09, 2024 6:05 pm |

Copyright © 2024 EDR, Inc. © 2015 TomTom Rel. 2015.

# DETAIL MAP - 7537503.2S




Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory

0 1/8 1/4 1/2 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

| | |
|---|---|
| SITE NAME: US 258 and Route 10 Intersection | CLIENT: Kimley Horn & Associates |
| ADDRESS: 603 W Main Street<br>Smithfield VA 23430 | CONTACT: Anna Gardner<br>INQUIRY #: 7537503.2s |
| LAT/LONG: 36.977342 / 76.640694 | DATE: January 09, 2024 6:05 pm |

Copyright © 2024 EDR, Inc. © 2015 TomTom Rel. 2015.

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| **STANDARD ENVIRONMENTAL RECORDS** | | | | | | | | |
| ***Lists of Federal NPL (Superfund) sites*** | | | | | | | | |
| NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| Proposed NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| NPL LIENS | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ***Lists of Federal Delisted NPL sites*** | | | | | | | | |
| Delisted NPL | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ***Lists of Federal sites subject to CERCLA removals and CERCLA orders*** | | | | | | | | |
| FEDERAL FACILITY | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| SEMS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of Federal CERCLA sites with NFRAP*** | | | | | | | | |
| SEMS-ARCHIVE | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of Federal RCRA facilities undergoing Corrective Action*** | | | | | | | | |
| CORRACTS | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| ***Lists of Federal RCRA TSD facilities*** | | | | | | | | |
| RCRA-TSDF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of Federal RCRA generators*** | | | | | | | | |
| RCRA-LQG | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| RCRA-SQG | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| RCRA-VSQG | 0.250 | | 2 | 0 | NR | NR | NR | 2 |
| ***Federal institutional controls / engineering controls registries*** | | | | | | | | |
| LUCIS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| US ENG CONTROLS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| US INST CONTROLS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Federal ERNS list*** | | | | | | | | |
| ERNS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ***Lists of state- and tribal hazardous waste facilities*** | | | | | | | | |
| SHWS | N/A | | N/A | N/A | N/A | N/A | N/A | N/A |
| ***Lists of state and tribal landfills and solid waste disposal facilities*** | | | | | | | | |
| SWF/LF | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of state and tribal leaking storage tanks*** | | | | | | | | |
| LUST | 0.500 | 1 | 2 | 1 | 7 | NR | NR | 11 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| INDIAN LUST | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| LTANKS | 0.500 | 1 | 5 | 2 | 8 | NR | NR | 16 |
| ***Lists of state and tribal registered storage tanks*** | | | | | | | | |
| FEMA UST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| UST | 0.250 | 1 | 2 | 0 | NR | NR | NR | 3 |
| AST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| INDIAN UST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| ***State and tribal institutional control / engineering control registries*** | | | | | | | | |
| ENG CONTROLS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| INST CONTROL | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of state and tribal voluntary cleanup sites*** | | | | | | | | |
| VCP | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| INDIAN VCP | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Lists of state and tribal brownfield sites*** | | | | | | | | |
| BROWNFIELDS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| **ADDITIONAL ENVIRONMENTAL RECORDS** | | | | | | | | |
| ***Local Brownfield lists*** | | | | | | | | |
| US BROWNFIELDS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Local Lists of Landfill / Solid Waste Disposal Sites*** | | | | | | | | |
| INDIAN ODI | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| DEBRIS REGION 9 | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ODI | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| IHS OPEN DUMPS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| ***Local Lists of Hazardous waste / Contaminated Sites*** | | | | | | | | |
| US HIST CDL | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| US CDL | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ***Local Land Records*** | | | | | | | | |
| LIENS 2 | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ***Records of Emergency Release Reports*** | | | | | | | | |
| HMIRS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| SPILLS | 0.001 | 1 | 0 | NR | NR | NR | NR | 1 |
| SPILLS 90 | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ***Other Ascertainable Records*** | | | | | | | | |
| RCRA NonGen / NLR | 0.250 | | 1 | 0 | NR | NR | NR | 1 |
| FUDS | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| DOD | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| SCRD DRYCLEANERS | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| US FIN ASSUR | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| EPA WATCH LIST | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| 2020 COR ACTION | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| TSCA | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| TRIS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| SSTS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ROD | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| RMP | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| RAATS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PRP | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| PADS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ICIS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| FTTS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| MLTS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| COAL ASH DOE | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| COAL ASH EPA | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| PCB TRANSFORMER | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| RADINFO | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| HIST FTTS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| DOT OPS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| CONSENT | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| INDIAN RESERV | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| FUSRAP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| UMTRA | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |
| LEAD SMELTERS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| US AIRS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| US MINES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| ABANDONED MINES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| MINES MRDS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| FINDS | 0.001 | | 1 | NR | NR | NR | NR | 1 |
| UXO | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| DOCKET HWC | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| ECHO | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| FUELS PROGRAM | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS NPL | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS FEDERAL SITES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS TRIS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS TSCA | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS RCRA MANIFEST | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS ATSDR | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS WQP | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS NPDES | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS ECHO | 0.250 | | 1 | 0 | NR | NR | NR | 1 |
| PFAS ECHO FIRE TRAINING | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| PFAS PART 139 AIRPORT | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| AQUEOUS FOAM NRC | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| BIOSOLIDS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| AIRS | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| NPDES | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| COAL ASH | 0.500 | | 0 | 0 | 0 | NR | NR | 0 |

# MAP FINDINGS SUMMARY

| Database | Search Distance (Miles) | Target Property | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|---|---|---|---|---|---|---|---|
| DRYCLEANERS | 0.250 | | 0 | 0 | NR | NR | NR | 0 |
| ENF | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| Financial Assurance | 0.001 | 1 | 0 | NR | NR | NR | NR | 1 |
| TIER 2 | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| UIC | 0.001 | | 0 | NR | NR | NR | NR | 0 |
| **EDR HIGH RISK HISTORICAL RECORDS** | | | | | | | | |
| ***EDR Exclusive Records*** | | | | | | | | |
| EDR MGP | 1.000 | | 0 | 0 | 0 | 0 | NR | 0 |
| EDR Hist Auto | 0.125 | 1 | 2 | NR | NR | NR | NR | 3 |
| EDR Hist Cleaner | 0.125 | | 1 | NR | NR | NR | NR | 1 |
| **EDR RECOVERED GOVERNMENT ARCHIVES** | | | | | | | | |
| ***Exclusive Recovered Govt. Archives*** | | | | | | | | |
| RGA LF | 0.001 | | 2 | NR | NR | NR | NR | 2 |
| RGA LUST | 0.001 | 2 | 0 | NR | NR | NR | NR | 2 |
| - Totals -- | | 8 | 19 | 3 | 15 | 0 | 0 | 45 |

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

**A1** **7 ELEVEN INC 34729** **LUST** **U003931269**
**Target** **603 W MAIN ST** **LTANKS** **N/A**
**Property** **SMITHFIELD, VA 23430** **UST**
**Financial Assurance**

**Site 1 of 5 in cluster A**

**Actual:**
**30 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000067062 |
| **Facility Status:** | **Closed** |
| Completed Date: | 02/28/2007 |
| Pollution Complaint Num: | 20075088 |
| Fed Regulated Tank: | Yes |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release reported |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000067062 |
| **Facility Status:** | **Closed** |
| Completed Date: | 02/02/2011 |
| Pollution Complaint Num: | 20075088 |
| Fed Regulated Tank: | Yes |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000067062 |
| **Facility Status:** | **Closed** |
| Completed Date: | 06/06/2007 |
| Pollution Complaint Num: | 20075088 |
| Fed Regulated Tank: | Yes |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case closed, no further corrective action letter sent |

LTANKS:

| | |
|---|---|
| Name: | TOM AND JERRYS QUICK STOP |
| Address: | 603 W MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000067062 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20075088 |
| Reported: | 02/28/2007 |
| Case Closed Date: | 02/02/2011 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | Y |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

Facility:

| | |
|---|---|
| Name: | 7 ELEVEN INC 34729 |
| Address: | 603 W MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5014370 |
| Facility Type: | GAS STATION |
| CEDS Facility ID: | 200000067062 |

Owner:

| | |
|---|---|
| Owner Id: | 30549 |
| Owner Name: | SMITHFIELD QUICK STOP, INC |
| Owner Address: | 603 W. MAIN STREET |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | SMITHFIELD, VA 23430 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 2 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 3 |

| | |
|---|---|
| Owner Id: | 47914 |
| Owner Name: | SEJ Asset Management & Investment Co c/o 7-Eleven |
| Owner Address: | PO BOX 711 |
| Owner Address2: | ATTN GASOLINE COMPLIANCE |
| Owner City, State, Zip: | DALLAS, TX 75221 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 2 |
| Number of Inactive AST: | 0 |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Number of Inactive UST: | 3 |
| Owner Id: | 38838 |
| Owner Name: | 7-Eleven Inc |
| Owner Address: | PO Box 711 (Attn: Gasoline Compliance) |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | Dallas, TX 75221 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 2 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 3 |
| Owner Id: | 41477 |
| Owner Name: | Turner Kraemer Realty LLC |
| Owner Address: | P.O. Box 945 |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | Smithfield, VA 23430 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 2 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 3 |

UST:

| | |
|---|---|
| Facility ID: | 5014370 |
| Federally Regulated: | Yes |
| Tank Number: | 001 |
| Tank Capacity: | 15000 |
| Tank Contents: | GASOLINE GASOHOL |
| **Tank Status:** | **CURR IN USE** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 5/4/2011 |
| Tank Materials: Bare Steel | No |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | Yes |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | Yes |
| Tank Release Detection: Overfill Install | Not reported |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | Yes |
| Tank Release Detection: Int Double Walled | Yes |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | No |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | Yes |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | PRESSURE |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | Yes |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | Yes |
| Pipe Materials: Sec Containment | Yes |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5014370 |
| Federally Regulated: | Yes |

| | |
|---|---|
| Tank Number: | 002 |
| Tank Capacity: | 10000 |
| Tank Contents: | GASOLINE GASOHOL |
| **Tank Status:** | **CURR IN USE** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 5/4/2011 |
| Tank Materials: Bare Steel | No |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | Yes |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | Yes |
| Tank Release Detection: Overfill Install | Not reported |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | Yes |
| Tank Release Detection: Int Double Walled | Yes |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | No |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | Yes |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | PRESSURE |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | Yes |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | Yes |
| Pipe Materials: Sec Containment | Yes |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5014370 |
| Federally Regulated: | Yes |
| Tank Number: | R-1 |
| Tank Capacity: | 8000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 1/30/1986 |
| Tank Materials: Bare Steel | No |
| Tank Materials: Cath Protect Steel | Yes |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | STI-P3 |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | Yes |
| Tank Release Detection: Spill Install | Yes |
| Tank Release Detection: Overfill Install | Yes |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | Yes |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | PRESSURE |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | Yes |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5014370 |
| Federally Regulated: | Yes |
| Tank Number: | R-2 |
| Tank Capacity: | 8000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Install Date: | 1/30/1986 |
| Tank Materials: Bare Steel | No |
| Tank Materials: Cath Protect Steel | Yes |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | STI-P3 |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | Yes |
| Tank Release Detection: Spill Install | Yes |
| Tank Release Detection: Overfill Install | Yes |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | Yes |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | PRESSURE |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | Yes |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5014370 |
| Federally Regulated: | Yes |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Tank Number: | R-3 |
| Tank Capacity: | 8000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 1/30/1986 |
| Tank Materials: Bare Steel | No |
| Tank Materials: Cath Protect Steel | Yes |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | STI-P3 |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | Yes |
| Tank Release Detection: Spill Install | Yes |
| Tank Release Detection: Overfill Install | Yes |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | Yes |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | PRESSURE |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | Yes |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

VA Financial Assurance 1:

| | |
|---|---|
| Name: | 7 ELEVEN INC 34729 |
| Address: | 603 W MAIN ST |
| Address 2: | Not reported |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility ID: | 5014370 |
| Owner Name: | SEJ Asset Management & Investment Co c/o 7-Eleven |
| ROF Own Id: | 47914 |
| Tank Type: | UST |
| Mechanism: | Not reported |
| Gallonage: | Not reported |
| Per Occurence: | Not reported |
| Third Party: | Not reported |
| Annual Aggregate: | Not reported |
| In Compliance: | Not reported |
| Total Capacity: | 15000 |
| CEDS Facility Name: | 7 Eleven Inc 34729 |
| Tank Status: | CURR IN USE |
| Active Federally Regualted UST: | Y |

| | |
|---|---|
| Name: | 7 ELEVEN INC 34729 |
| Address: | 603 W MAIN ST |
| Address 2: | Not reported |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility ID: | 5014370 |
| Owner Name: | SEJ Asset Management & Investment Co c/o 7-Eleven |
| ROF Own Id: | 47914 |
| Tank Type: | UST |
| Mechanism: | Not reported |
| Gallonage: | Not reported |
| Per Occurence: | Not reported |
| Third Party: | Not reported |
| Annual Aggregate: | Not reported |
| In Compliance: | Not reported |
| Total Capacity: | 10000 |
| CEDS Facility Name: | 7 Eleven Inc 34729 |
| Tank Status: | CURR IN USE |
| Active Federally Regualted UST: | Y |

| | |
|---|---|
| Name: | 7 ELEVEN INC 34729 |
| Address: | 603 W MAIN ST |
| Address 2: | Not reported |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility ID: | 5014370 |
| Owner Name: | SEJ Asset Management & Investment Co c/o 7-Eleven |
| ROF Own Id: | 47914 |
| Tank Type: | UST |
| Mechanism: | Insurance |
| Gallonage: | Not reported |
| Per Occurence: | $1,000,000.00 |
| Third Party: | $1,000,000.00 |
| Annual Aggregate: | $2,000,000.00 |

**7 ELEVEN INC 34729 (Continued)** **U003931269**

| | |
|---|---|
| In Compliance: | Not reported |
| Total Capacity: | 15000 |
| CEDS Facility Name: | 7 Eleven Inc 34729 |
| Tank Status: | CURR IN USE |
| Active Federally Regualted UST: | Y |
| | |
| Name: | 7 ELEVEN INC 34729 |
| Address: | 603 W MAIN ST |
| Address 2: | Not reported |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility ID: | 5014370 |
| Owner Name: | SEJ Asset Management & Investment Co c/o 7-Eleven |
| ROF Own Id: | 47914 |
| Tank Type: | UST |
| Mechanism: | Insurance |
| Gallonage: | Not reported |
| Per Occurence: | $1,000,000.00 |
| Third Party: | $1,000,000.00 |
| Annual Aggregate: | $2,000,000.00 |
| In Compliance: | Not reported |
| Total Capacity: | 10000 |
| CEDS Facility Name: | 7 Eleven Inc 34729 |
| Tank Status: | CURR IN USE |
| Active Federally Regualted UST: | Y |

---

**A2** **TOM AND JERRYS QUICK STOP INCORPORATED** **RGA LUST** **S115990605**
**Target Property** **603 W MAIN ST** **N/A**
**SMITHFIELD, VA**

**Site 2 of 5 in cluster A**

**Actual: 30 ft.**

RGA LUST:

| | | |
|---|---|---|
| 2010 | TOM AND JERRYS QUICK STOP INCORPORATED | 603 W MAIN ST |
| 2009 | TOM AND JERRYS QUICK STOP INCORPORATED | 603 W MAIN ST |
| 2008 | TOM AND JERRYS QUICK STOP INCORPORATED | 603 W MAIN ST |
| 2007 | TOM AND JERRYS QUICK STOP INCORPORATED | 603 W MAIN ST |

---

**A3** **7 ELEVEN INC 34729** **RGA LUST** **S115951759**
**Target Property** **603 W MAIN ST** **N/A**
**SMITHFIELD, VA**

**Site 3 of 5 in cluster A**

**Actual: 30 ft.**

RGA LUST:

| | | |
|---|---|---|
| 2012 | 7 ELEVEN INC 34729 | 603 W MAIN ST |
| 2011 | 7 ELEVEN INC 34729 | 603 W MAIN ST |

**A4** **CROWN GAS STATION** **SPILLS** **S108923767**
**Target** **603 W MAIN STREET** **N/A**
**Property** **ISLE OF WIGHT (County), VA**

**Site 4 of 5 in cluster A**

**Actual:** **30 ft.**

SPILLS TD:

| | |
|---|---|
| Region: | TD |
| PC Number: | Not reported |
| Incident Response: | 2007-T-0392 |
| Incident Date: | 10/7/2006 |
| Time In: | 10:56:00 AM |
| Facility Permitted: | False |
| Facility Contact: | Not reported |
| Facility Phone: | Not reported |
| Resp Party: | Not reported |
| RP Company: | Not reported |
| RP Address: | Not reported |
| RP City,St,Zip: | Not reported |
| Resp Party Phone: | Not reported |
| Owner Name: | Not reported |
| Owner Address: | Not reported |
| Owner City,St,Zip: | Not reported |
| Owner Contact: | Not reported |
| Owner Phone: | Not reported |
| Incident Date: | 10/7/2006 |
| Incident Time: | 9:45:00 AM |
| Petroleum: | True |
| Solid Waste: | False |
| Haz Waste: | False |
| Water: | False |
| Air: | False |
| Sewage: | False |
| Fish Killed: | False |
| Medical Waste: | False |
| Wetland: | False |
| Terrorism: | False |
| Material Released: | GASOLINE |
| Possible Receptors: | Not reported |
| Qty Released: | 0 |
| Unit: | Not reported |
| Qty In Water: | 0 |
| Receiving Waters: | PAGEN CREEK |
| River Basin: | Not reported |
| Topo Map Id: | Not reported |
| Inspection Dt: | Not reported |
| Call Date: | Not reported |
| Inspector: | EAS |
| Response Due: | Not reported |
| Response Receive: | Not reported |
| **Date Closed:** | **10/19/2006** |
| Dt Ref Air C/m: | Not reported |
| Air Reg Permit #: | Not reported |
| Date Ref Waste C/M: | Not reported |
| Epa Ir/permit #: | Not reported |
| Date Ref Water C/m: | Not reported |
| Water Permit #: | Not reported |
| Date Ref Remediation: | Not reported |
| Remediation PC #: | Not reported |

**CROWN GAS STATION (Continued)** **S108923767**

| | |
|---|---|
| Date Ref Enforcement: | Not reported |
| NOV Number: | Not reported |
| Date Received: | Not reported |
| Source: | Not reported |
| Summary: | GAS STATION IS UNDERWATER AND GAS FROM THE UNDERGROUND TANK IS LEAKING INTO THE CREEK, LEAK CONTAINED |
| Comments: | SEE COMPLAINT FORM FOR MORE INFO, PICTURES |
| Report Notes: | Not reported |
| Reported By Company: | Not reported |
| Reported By Address: | ISLE OF WIGHT FD |
| Reported By Street: | Not reported |
| Reported By City,St,Zip: | Not reported |
| Reported By Phone: | 7574352080 |
| Report By Name: | CAPT STALLINGS |
| PI Date: | Not reported |
| Incident Time: | Not reported |
| Incident Type: | Not reported |
| Stream: | Not reported |
| Spill Volume: | 0 |
| Spill Unit: | Not reported |
| Volume To State Water: | 0 |

---

**A5** **SMITHFIELD QUICK STOP INC** **EDR Hist Auto** **1020626385**
**Target** **603 W MAIN ST** **N/A**
**Property** **SMITHFIELD, VA 23430**

**Site 5 of 5 in cluster A**

**Actual:** **30 ft.**

EDR Hist Auto

| Year: | Name: | Type: |
|---|---|---|
| 1990 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1991 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1992 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1993 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1994 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1995 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1996 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1997 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 1998 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 2001 | SMITHFIELD QUICK STOP INC | Convenience Stores |
| 2002 | SMITHFIELD QUICK STOP INC | Convenience Stores |

---

**B6** **SMITHFIELD LF-COFER** **RGA LF** **S115998495**
**415 MAIN ST** **N/A**
**< 1/8** **SMITHFIELD, VA**
**1 ft.**

**Site 1 of 7 in cluster B**

**Relative:** **Lower**

**Actual:** **21 ft.**

RGA LF:

| | | |
|---|---|---|
| 1998 | SMITHFIELD LF-COFER | 415 MAIN ST |
| 1997 | SMITHFIELD LF-COFER | 415 MAIN ST |

**B7** **SMITHFIELD LF-COFER** **PFAS ECHO** **1027420349**
**N/A**

**< 1/8**
**1 ft.**

**SMITHFIELD, VA**

**Site 2 of 7 in cluster B**

**Relative:**
**Lower**

**Actual:**
**23 ft.**

PFAS ECHO:

| | |
|---|---|
| Name: | SMITHFIELD LF-COFER |
| Address: | Not reported |
| City,State,Zip: | SMITHFIELD, VA |
| Latitude: | 36.979120 |
| Longitude: | -76.637140 |
| Count: | 1 |
| County: | ISLE OF WIGHT |
| Status: | Unknown |
| Region: | 03 |
| Industry: | Waste Management |
| ECHO Facility Report: | https://echo.epa.gov/detailed-facility-report?fid=110014012834 |
| Facility Percent Minority: | 37.075 |
| Facility Derived Tribes: | - |
| Facility Population: | 391.93 |
| EPA Programs: | - |
| Federal Facility: | No |
| Federal Agency: | - |
| Facility FIPS Code: | 51093 |
| Facility Indian Country Flag: | N |
| Facility Collection Method: | ADDRESS MATCHING-HOUSE NUMBER |
| Facility Derived HUC: | 02080206 |
| Facility Derived WBD: | 020802060903 |
| Facility Derived CD113: | 04 |
| Facility Derived CB2010: | 510932801053021 |
| Facility Major Flag: | - |
| Facility Active Flag: | - |
| Facility Inspection Count: | 0 |
| Facility Date Last Inspection: | - |
| Facility Days Last Inspection: | - |
| Facility Informal Count: | 0 |
| Facility Date Last Informal Action: | - |
| Facility Formal Action Count: | 0 |
| Facility Date Last Formal Action: | - |
| Facility Total Penalties: | 0 |
| Facility Penalty Count: | - |
| Facility Date Last Penalty: | - |
| Facility Last Penalty AMT: | - |
| Facility QTRS With NC: | - |
| Facility Programs With SNC: | 0 |
| Facility Compliance Status: | - |
| Facility SNC Flag: | N |
| AIR Flag: | N |
| NPDES Flag: | N |
| SDWIS Flag: | N |
| RCRA Flag: | N |
| TRI Flag: | N |
| GHG Flag: | N |
| AIR IDS: | - |
| CAA Permit Types: | - |
| CAA NAICS: | - |
| CAA SICS: | - |
| NPDES IDS: | - |

**SMITHFIELD LF-COFER (Continued)** **1027420349**

| | |
|---|---|
| CWA Permit Types: | - |
| CWA NAICS: | - |
| CWA SICS: | - |
| RCRA IDS: | - |
| RCRA Permit Types: | - |
| RCRA NAICS: | - |
| SDWA IDS: | - |
| SDWA System Types: | - |
| SDWA Compliance Status: | - |
| SDWA SNC Flag: | N |
| TRI IDS: | - |
| TRI Releases Transfers: | - |
| TRI On Site Releases: | - |
| TRI Off Site Transfers: | - |
| TRI Reporter: | - |
| Facility IMP Water Flag: | - |
| EJSCREEN Flag US: | Y |
| EJSCREEN Report: | https://ejscreen.epa.gov/mapper/mobile/EJSCREEN_mobile.aspx?geometry=%7B%22x%22:-76.63714,%22y%22:36.97912,%22spatialReference%22:%7B%22wkid%22:4326%7D%7D&unit=9035&areatype=&areaid=&basemap=streets&distance=1 |

---

**B8** **RGA LF** **S115996555**
**415 MAIN ST** **N/A**
**< 1/8** **SMITHFIELD, VA**
**1 ft.**

**Site 3 of 7 in cluster B**

**Relative:** RGA LF:
**Lower**
1996 415 MAIN ST

**Actual:**
**21 ft.**

---

**B9** **SMITHFIELD LF-COFER** **FINDS** **1006840195**
**415 MAIN ST** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**1 ft.**

**Site 4 of 7 in cluster B**

**Relative:** FINDS:
**Lower**
Registry ID: 110014012834

**Actual:**
**21 ft.**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
THE EMISSION INVENTORY SYSTEM (EIS) MAINTAINS AN INVENTORY OF LARGE STATIONARY SOURCES AND VOLUNTARILY-REPORTED SMALLER SOURCES OF AIR POINT POLLUTANT EMITTERS. IT CONTAINS INFORMATION ABOUT FACILITY SITES AND THEIR PHYSICAL LOCATION, EMISSIONS UNITS, EMISSIONS PROCESSES, RELEASE POINTS, CONTROL APPROACHES, AND REGULATIONS. FACILITY INVENTORY DATA ARE KEPT SEPARATE FROM THE EMISSIONS DATA AND HAVE STABLE IDENTIFIERS TO IMPROVE CONTINUITY FROM YEAR TO YEAR AND TO HELP IDENTIFY DUPLICATE OR MISSING FACILITIES

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**C10** **THE GRANGE AT 10MAIN** **LTANKS** **S129124807**
**518 MAIN STREET - HWY 258** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.001 mi.**
**3 ft.** **Site 1 of 2 in cluster C**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

LTANKS:

| | |
|---|---|
| Name: | THE GRANGE AT 10MAIN |
| Address: | 518 MAIN STREET - HWY 258 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000065972 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20235017 |
| Reported: | 08/01/2022 |
| Case Closed Date: | 08/04/2022 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | Y |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

**C11** **LITTLES SUPER MARKET INC** **UST** **U003689839**
**518 MAIN STREET - HWY 258** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.001 mi.**
**3 ft.** **Site 2 of 2 in cluster C**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

Facility:

| | |
|---|---|
| Name: | LITTLES SUPER MARKET INC |
| Address: | 518 MAIN STREET - HWY 258 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5005879 |
| Facility Type: | GAS STATION |
| CEDS Facility ID: | 200000065972 |

Owner:

| | |
|---|---|
| Owner Id: | 30516 |
| Owner Name: | SMITHFIELD FARMERS, INC |
| Owner Address: | P.O. BOX 424 |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | SMITHFIELD, VA 23430 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 5 |

| | |
|---|---|
| Owner Id: | 34357 |
| Owner Name: | Angus I. Hines Inc |
| Owner Address: | PO Box 1080 |
| Owner Address2: | 1426 Holland Road Suffolk, 23434 |
| Owner City, State, Zip: | Suffolk, VA 23439 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 5 |

UST:

| | |
|---|---|
| Facility ID: | 5005879 |
| Federally Regulated: | Yes |
| Tank Number: | 5 |
| Tank Capacity: | 550 |
| Tank Contents: | DIESEL |
| **Tank Status:** | **PERM OUT OF USE** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 5/7/1978 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | UNKNOWN |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5005879 |
| Federally Regulated: | Yes |
| Tank Number: | G4 |
| Tank Capacity: | 1000 |
| Tank Contents: | KEROSENE |
| **Tank Status:** | **CLS IN GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 4/22/1965 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | Yes |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | Yes |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5005879 |
| Federally Regulated: | Yes |

| | |
|---|---|
| Tank Number: | R1 |
| Tank Capacity: | 10000 |
| Tank Contents: | GASOLINE |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |
| Tank Material: | |
| Install Date: | 4/22/1975 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Release Detection: | |
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | Yes |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | Yes |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| Facility ID: | 5005879 |
| Federally Regulated: | Yes |
| Tank Number: | R2 |
| Tank Capacity: | 4000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 4/22/1968 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | Yes |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | Yes |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |
| Facility ID: | 5005879 |
| Federally Regulated: | Yes |
| Tank Number: | R3 |
| Tank Capacity: | 3000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 4/22/1968 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | Yes |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | Yes |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |

**LITTLES SUPER MARKET INC (Continued)** **U003689839**

| | |
|---|---|
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

---

**B12** **CORNETTS GARAGE** **UST** **U003691642**
**NE** **426 MAIN ST.** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.002 mi.**
**13 ft.** **Site 5 of 7 in cluster B**

**Relative:**
**Lower**

**Actual:**
**27 ft.**

Facility:

| | |
|---|---|
| Name: | CORNETTS GARAGE |
| Address: | 426 MAIN ST. |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5018689 |
| Facility Type: | COMMERCIAL |
| CEDS Facility ID: | 200000064683 |

Owner:

| | |
|---|---|
| Owner Id: | 30516 |
| Owner Name: | SMITHFIELD FARMERS, INC |
| Owner Address: | P.O. BOX 424 |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | SMITHFIELD, VA 23430 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 3 |

UST:

| | |
|---|---|
| Facility ID: | 5018689 |
| Federally Regulated: | Yes |
| Tank Number: | 1 |
| Tank Capacity: | 500 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **PERM OUT OF USE** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 5/7/1961 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |

**CORNETTS GARAGE (Continued)** **U003691642**

| | |
|---|---|
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | UNKNOWN |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

| | |
|---|---|
| Facility ID: | 5018689 |
| Federally Regulated: | Yes |

| | |
|---|---|
| Tank Number: | 2 |
| Tank Capacity: | 1000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **PERM OUT OF USE** |

**CORNETTS GARAGE (Continued)** **U003691642**

| | |
|---|---|
| Tank Type: | UST |
| Tank Material: | |
| Install Date: | 5/7/1961 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Release Detection: | |
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | UNKNOWN |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

**CORNETTS GARAGE (Continued)** **U003691642**

| | |
|---|---|
| Facility ID: | 5018689 |
| Federally Regulated: | No |
| Tank Number: | 3 |
| Tank Capacity: | 500 |
| Tank Contents: | KEROSENE |
| **Tank Status:** | **PERM OUT OF USE** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | Not reported |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | UNKNOWN |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |

**CORNETTS GARAGE (Continued)** **U003691642**

| | |
|---|---|
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

---

**B13** **CORNETTS GARAGE** **EDR Hist Auto** **1020167944**
**NE** **426 MAIN ST** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.002 mi.**
**13 ft.** **Site 6 of 7 in cluster B**

**Relative:** EDR Hist Auto
**Lower**

**Actual:**
**27 ft.**

| Year: | Name: | Type: |
|---|---|---|
| 1969 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1970 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1971 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1972 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1973 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1974 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1975 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1976 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1977 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1978 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1979 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1980 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1982 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1983 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1985 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1986 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1987 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1988 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1989 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1990 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1991 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1992 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1993 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1997 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1998 | CORNETTS GARAGE | General Automotive Repair Shops |
| 1999 | CORNETTS GARAGE | General Automotive Repair Shops |
| 2000 | CORNETTS GARAGE | General Automotive Repair Shops |

---

**B14** **GEMMIE SHELTER** **LTANKS** **S114544551**
**NE** **426 MAIN ST.** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.002 mi.**
**13 ft.** **Site 7 of 7 in cluster B**

**Relative:** LTANKS:
**Lower**

| | |
|---|---|
| Name: | GEMMIE SHELTER |
| Address: | 426 MAIN ST. |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |

**Actual:**
**27 ft.**

**GEMMIE SHELTER (Continued)** **S114544551**

| | |
|---|---|
| Region: | TRO |
| CEDS Facility Id: | 200000064683 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20145047 |
| Reported: | 10/03/2013 |
| Case Closed Date: | 12/10/2013 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | Y |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

---

**15** **WILSON HARVEY** **EDR Hist Cleaner** **1018559347**
**WSW** **616 MAIN ST** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.007 mi.**
**38 ft.**

**Relative:** EDR Hist Cleaner
**Higher**

**Actual:** **33 ft.**

| Year: | Name: | Type: |
|---|---|---|
| 1974 | WILSON HARVEY | Masonry And Other Stonework |
| 1976 | WILSON HARVEY | Masonry And Other Stonework |
| 1977 | WILSON HARVEY | Masonry And Other Stonework |
| 1978 | WILSON HARVEY | Masonry And Other Stonework |
| 1979 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1980 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1982 | WILSON HARVEY MASONRY | Masonry And Other Stonework |

**WILSON HARVEY (Continued)** **1018559347**

| | | |
|---|---|---|
| 1983 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1985 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1986 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1987 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1988 | WILSON HARVEY MASONRY | Masonry And Other Stonework |
| 1989 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1990 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1991 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1992 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1993 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1994 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 1995 | WILSON HARVEY | Drycleaning Plants, Except Rugs |
| 2003 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |
| 2004 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |
| 2005 | INTEGRITY CLEANERS | Laundry And Drycleaner Agents |
| 2005 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |
| 2006 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |
| 2006 | INTEGRITY CLEANERS | Laundry And Drycleaner Agents |
| 2007 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |
| 2007 | INTEGRITY CLEANERS | Laundry And Drycleaner Agents |
| 2008 | INTEGRITY CLEANERS | Laundry And Drycleaner Agents |
| 2008 | WESTSIDE DRYCLEANERS | Laundry And Drycleaner Agents |

---

**D16** **COFER AUTO SUPPLY INC** **RCRA-VSQG** **1004790912**
**NE** **407 GRACE STREET** **VAD988228250**
**< 1/8** **SMITHFIELD, VA 23430**
**0.036 mi.**
**188 ft.** **Site 1 of 5 in cluster D**

**Relative:** **Lower**
**Actual:** **29 ft.**

RCRA Listings:

| | |
|---|---|
| Date Form Received by Agency: | 20141016 |
| Handler Name: | Cofer Auto Supply Inc |
| Handler Address: | 407 GRACE STREET |
| Handler City,State,Zip: | SMITHFIELD, VA 23430 |
| EPA ID: | VAD988228250 |
| Contact Name: | KEITH KUDEP |
| Contact Address: | PO BOX 68 |
| Contact City,State,Zip: | SURRY, VA 23883 |
| Contact Telephone: | 804-294-0022 |
| Contact Fax: | Not reported |
| Contact Email: | Not reported |
| Contact Title: | Not reported |
| EPA Region: | 03 |
| Land Type: | Private |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| Non-Notifier: | Not reported |
| Biennial Report Cycle: | Not reported |
| Accessibility: | Not reported |
| Active Site Indicator: | Handler Activities |
| State District Owner: | Va |
| State District: | 5 |
| Mailing Address: | PO BOX 68 |
| Mailing City,State,Zip: | SURRY, VA 23883 |
| Owner Name: | Riddick Calvin R |
| Owner Type: | Private |
| Operator Name: | Not reported |
| Operator Type: | Not reported |
| Short-Term Generator Activity: | No |

**COFER AUTO SUPPLY INC (Continued)** **1004790912**

| | |
|---|---|
| Importer Activity: | No |
| Mixed Waste Generator: | No |
| Transporter Activity: | No |
| Transfer Facility Activity: | No |
| Recycler Activity with Storage: | No |
| Small Quantity On-Site Burner Exemption: | No |
| Smelting Melting and Refining Furnace Exemption: | No |
| Underground Injection Control: | No |
| Off-Site Waste Receipt: | No |
| Universal Waste Indicator: | No |
| Universal Waste Destination Facility: | No |
| Federal Universal Waste: | No |
| Active Site State-Reg Handler: | --- |
| Federal Facility Indicator: | Not reported |
| Hazardous Secondary Material Indicator: | NN |
| Sub-Part K Indicator: | Not reported |
| 2018 GPRA Permit Baseline: | Not on the Baseline |
| 2018 GPRA Renewals Baseline: | Not on the Baseline |
| 202 GPRA Corrective Action Baseline: | No |
| Subject to Corrective Action Universe: | No |
| Non-TSDFs Where RCRA CA has Been Imposed Universe: | No |
| Corrective Action Priority Ranking: | No NCAPS ranking |
| Environmental Control Indicator: | No |
| Institutional Control Indicator: | No |
| Human Exposure Controls Indicator: | N/A |
| Groundwater Controls Indicator: | N/A |
| Significant Non-Complier Universe: | No |
| Unaddressed Significant Non-Complier Universe: | No |
| Addressed Significant Non-Complier Universe: | No |
| Significant Non-Complier With a Compliance Schedule Universe: | No |
| Financial Assurance Required: | Not reported |
| Handler Date of Last Change: | 20150414 |
| Recognized Trader-Importer: | No |
| Recognized Trader-Exporter: | No |
| Importer of Spent Lead Acid Batteries: | No |
| Exporter of Spent Lead Acid Batteries: | No |
| Recycler Activity Without Storage: | Not reported |
| Manifest Broker: | Not reported |
| Sub-Part P Indicator: | No |

Hazardous Waste Summary:

| | |
|---|---|
| Waste Code: | D000 |
| Waste Description: | Not Defined |
| Waste Code: | D008 |
| Waste Description: | Lead |
| Waste Code: | D039 |
| Waste Description: | Tetrachloroethylene |

Handler - Owner Operator:

| | |
|---|---|
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: RIDDICK CALVIN R | |
| Legal Status: | Private |
| Date Became Current: | Not reported |

**COFER AUTO SUPPLY INC (Continued)** **1004790912**

| | |
|---|---|
| Date Ended Current: | Not reported |
| Owner/Operator Address: | 17170 DAYS POINT RD |
| Owner/Operator City,State,Zip: | SMITHFIELD, VA 23430 |
| Owner/Operator Telephone: | 804-359-2191 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: RIDDICK CALVIN R | |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | 17170 DAYS POINT RD |
| Owner/Operator City,State,Zip: | SMITHFIELD, VA 23430 |
| Owner/Operator Telephone: | 804-359-2191 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

Historic Generators:

| | |
|---|---|
| Receive Date: | 20141016 |
| Handler Name: COFER AUTO SUPPLY INC | |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| State District Owner: | Va |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | Yes |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |
| Receive Date: | 19930719 |
| Handler Name: COFER AUTO SUPPLY INC | |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| State District Owner: | Va |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | No |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |

List of NAICS Codes and Descriptions:

| | |
|---|---|
| NAICS Codes: | No NAICS Codes Found |

Facility Has Received Notices of Violations:

| | |
|---|---|
| Violations: | No Violations Found |

Evaluation Action Summary:

| | |
|---|---|
| Evaluations: | No Evaluations Found |

**D17** **COFER AUTO SUPPLY INC** **EDR Hist Auto** **1020511698**
**NE** **407 GRACE ST** **N/A**
**< 1/8** **SMITHFIELD, VA 23430**
**0.036 mi.**
**188 ft.** **Site 2 of 5 in cluster D**

**Relative:** EDR Hist Auto
**Lower**

**Actual:**
**29 ft.**

| Year: | Name: | Type: |
|---|---|---|
| 1974 | COFER AUTO SUPPLY INC | Motor Vehicle Supplies And New Parts |
| 1975 | COFER AUTO SUPPLY INC | Motor Vehicle Supplies And New Parts |
| 1976 | COFER AUTO SUPPLY INC | Motor Vehicle Supplies And New Parts |
| 1977 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1978 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1979 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1980 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1982 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1983 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1985 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1986 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1987 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1988 | COFER AUTO SUPPLY | Motor Vehicle Supplies And New Parts |
| 1989 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1990 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1991 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1991 | EDWARDS TRANSMISSION INC | Automotive Transmission Repair Shops |
| 1992 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1993 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1994 | COFER AUTO SUPPLY | Automotive Supplies And Parts |
| 1995 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 1996 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 1997 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2000 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2001 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2005 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2005 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2006 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2006 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2007 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2007 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2008 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2008 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2009 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2009 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2010 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2010 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2011 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2011 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2012 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2012 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2013 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |
| 2013 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2014 | ASKEW ENTERPRISES | Automotive Repair Shops, NEC |
| 2014 | COFER AUTO SUPPLY INC | Automotive Supplies And Parts |

**D18** **COFER AUTO SUPPLY INC** **RCRA-VSQG** **1004790372**
**NE** **407 GRACE ST** **FINDS** **VAD988206009**
**< 1/8** **SMITHFIELD, VA 23430** **ECHO**
**0.036 mi.**
**188 ft.** **Site 3 of 5 in cluster D**

**Relative:** **Lower**
**Actual:** **29 ft.**

RCRA Listings:

| | |
|---|---|
| Date Form Received by Agency: | 19911008 |
| Handler Name: | Cofer Auto Supply Inc |
| Handler Address: | 407 GRACE ST |
| Handler City,State,Zip: | SMITHFIELD, VA 23430 |
| EPA ID: | VAD988206009 |
| Contact Name: | CALVIN RIDDICK |
| Contact Address: | 407 GRACE ST |
| Contact City,State,Zip: | SMITHFIELD, VA 23430 |
| Contact Telephone: | 804-357-2191 |
| Contact Fax: | Not reported |
| Contact Email: | Not reported |
| Contact Title: | Not reported |
| EPA Region: | 03 |
| Land Type: | Not reported |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| Non-Notifier: | Not reported |
| Biennial Report Cycle: | Not reported |
| Accessibility: | Not reported |
| Active Site Indicator: | Handler Activities |
| State District Owner: | Va |
| State District: | 6 |
| Mailing Address: | 407 GRACE ST |
| Mailing City,State,Zip: | SMITHFIELD, VA 23430 |
| Owner Name: | Riddick Calvin R |
| Owner Type: | Private |
| Operator Name: | Not reported |
| Operator Type: | Not reported |
| Short-Term Generator Activity: | No |
| Importer Activity: | No |
| Mixed Waste Generator: | No |
| Transporter Activity: | No |
| Transfer Facility Activity: | No |
| Recycler Activity with Storage: | No |
| Small Quantity On-Site Burner Exemption: | No |
| Smelting Melting and Refining Furnace Exemption: | No |
| Underground Injection Control: | No |
| Off-Site Waste Receipt: | No |
| Universal Waste Indicator: | No |
| Universal Waste Destination Facility: | No |
| Federal Universal Waste: | No |
| Active Site State-Reg Handler: | --- |
| Federal Facility Indicator: | Not reported |
| Hazardous Secondary Material Indicator: | NN |
| Sub-Part K Indicator: | Not reported |
| 2018 GPRA Permit Baseline: | Not on the Baseline |
| 2018 GPRA Renewals Baseline: | Not on the Baseline |
| 202 GPRA Corrective Action Baseline: | No |
| Subject to Corrective Action Universe: | No |
| Non-TSDFs Where RCRA CA has Been Imposed Universe: | No |
| Corrective Action Priority Ranking: | No NCAPS ranking |
| Environmental Control Indicator: | No |
| Institutional Control Indicator: | No |

**COFER AUTO SUPPLY INC (Continued)** **1004790372**

| | |
|---|---|
| Human Exposure Controls Indicator: | N/A |
| Groundwater Controls Indicator: | N/A |
| Significant Non-Complier Universe: | No |
| Unaddressed Significant Non-Complier Universe: | No |
| Addressed Significant Non-Complier Universe: | No |
| Significant Non-Complier With a Compliance Schedule Universe: | No |
| Financial Assurance Required: | Not reported |
| Handler Date of Last Change: | 20000915 |
| Recognized Trader-Importer: | No |
| Recognized Trader-Exporter: | No |
| Importer of Spent Lead Acid Batteries: | No |
| Exporter of Spent Lead Acid Batteries: | No |
| Recycler Activity Without Storage: | Not reported |
| Manifest Broker: | Not reported |
| Sub-Part P Indicator: | No |

Hazardous Waste Summary:

| | |
|---|---|
| Waste Code: | D000 |
| Waste Description: | Not Defined |
| Waste Code: | D008 |
| Waste Description: | Lead |

Handler - Owner Operator:

| | |
|---|---|
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: RIDDICK CALVIN R | |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | 17170 DAYS POINT RD |
| Owner/Operator City,State,Zip: | SMITHFIELD, VA 23430 |
| Owner/Operator Telephone: | 804-357-2977 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

Historic Generators:

| | |
|---|---|
| Receive Date: | 19911008 |
| Handler Name: COFER AUTO SUPPLY INC | |
| Federal Waste Generator Description: | Conditionally Exempt Small Quantity Generator |
| State District Owner: | Va |
| Large Quantity Handler of Universal Waste: | No |
| Recognized Trader Importer: | No |
| Recognized Trader Exporter: | No |
| Spent Lead Acid Battery Importer: | No |
| Spent Lead Acid Battery Exporter: | No |
| Current Record: | Yes |
| Non Storage Recycler Activity: | Not reported |
| Electronic Manifest Broker: | Not reported |

List of NAICS Codes and Descriptions:

| | |
|---|---|
| NAICS Codes: | No NAICS Codes Found |

**COFER AUTO SUPPLY INC (Continued)** **1004790372**

Has the Facility Received Notices of Violations:

| | |
|---|---|
| Found Violation: | No |
| Agency Which Determined Violation: | Not reported |
| Violation Short Description: | Not reported |
| Date Violation was Determined: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Return to Compliance Qualifier: | Not reported |
| Violation Responsible Agency: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Enforcement Identifier: | Not reported |
| Date of Enforcement Action: | Not reported |
| Enforcement Responsible Agency: | Not reported |
| Enforcement Docket Number: | Not reported |
| Enforcement Attorney: | Not reported |
| Corrective Action Component: | Not reported |
| Appeal Initiated Date: | Not reported |
| Appeal Resolution Date: | Not reported |
| Disposition Status Date: | Not reported |
| Disposition Status: | Not reported |
| Disposition Status Description: | Not reported |
| Consent/Final Order Sequence Number: | Not reported |
| Consent/Final Order Respondent Name: | Not reported |
| Consent/Final Order Lead Agency: | Not reported |
| Enforcement Type: | Not reported |
| Enforcement Responsible Person: | Not reported |
| Enforcement Responsible Sub-Organization: | Not reported |
| SEP Sequence Number: | Not reported |
| SEP Expenditure Amount: | Not reported |
| SEP Scheduled Completion Date: | Not reported |
| SEP Actual Date: | Not reported |
| SEP Defaulted Date: | Not reported |
| SEP Type: | Not reported |
| SEP Type Description: | Not reported |
| Proposed Amount: | Not reported |
| Final Monetary Amount: | Not reported |
| Paid Amount: | Not reported |
| Final Count: | Not reported |
| Final Amount: | Not reported |

| | |
|---|---|
| Found Violation: | No |
| Agency Which Determined Violation: | Not reported |
| Violation Short Description: | Not reported |
| Date Violation was Determined: | Not reported |
| Actual Return to Compliance Date: | Not reported |
| Return to Compliance Qualifier: | Not reported |
| Violation Responsible Agency: | Not reported |
| Scheduled Compliance Date: | Not reported |
| Enforcement Identifier: | Not reported |
| Date of Enforcement Action: | Not reported |
| Enforcement Responsible Agency: | Not reported |
| Enforcement Docket Number: | Not reported |
| Enforcement Attorney: | Not reported |
| Corrective Action Component: | Not reported |
| Appeal Initiated Date: | Not reported |
| Appeal Resolution Date: | Not reported |
| Disposition Status Date: | Not reported |
| Disposition Status: | Not reported |

**COFER AUTO SUPPLY INC (Continued)** **1004790372**

Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 20020502
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE ASSISTANCE VISIT
Evaluation Responsible Person Identifier: R6LAS
Evaluation Responsible Sub-Organization: TW
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20020918
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: R6LAS
Evaluation Responsible Sub-Organization: TW
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

FINDS:
Registry ID: 110006457459

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the

**COFER AUTO SUPPLY INC (Continued)** **1004790372**

Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

| | |
|---|---|
| Envid: | 1004790372 |
| Registry ID: | 110006457459 |
| DFR URL: | http://echo.epa.gov/detailed-facility-report?fid=110006457459 |
| Name: | COFER AUTO SUPPLY INC |
| Address: | 407 GRACE ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |

---

**D19** **KEENS AUTOMOTIVE MACHINE SHOP#** **RCRA NonGen / NLR** **1000318854**
**NE** **405 GRACE ST** **FINDS** **VAD065377392**
**< 1/8** **SMITHFIELD, VA 23430** **ECHO**
**0.043 mi.**
**227 ft.** **Site 4 of 5 in cluster D**

**Relative:** **Lower**

**Actual:** **29 ft.**

RCRA Listings:

| | |
|---|---|
| Date Form Received by Agency: | 19800818 |
| Handler Name: | Keens Automotive Machine Shop# |
| Handler Address: | 405 GRACE ST |
| Handler City,State,Zip: | SMITHFIELD, VA 23430 |
| EPA ID: | VAD065377392 |
| Contact Name: | ENVIRONMENTAL COORDINATOR |
| Contact Address: | 405 GRACE ST |
| Contact City,State,Zip: | SMITHFIELD, VA 23430 |
| Contact Telephone: | 215-555-1212 |
| Contact Fax: | Not reported |
| Contact Email: | Not reported |
| Contact Title: | Not reported |
| EPA Region: | 03 |
| Land Type: | Not reported |
| Federal Waste Generator Description: | Not a generator, verified |
| Non-Notifier: | Not reported |
| Biennial Report Cycle: | Not reported |
| Accessibility: | Not reported |
| Active Site Indicator: | Not reported |
| State District Owner: | Va |
| State District: | 6 |
| Mailing Address: | 405 GRACE ST |
| Mailing City,State,Zip: | SMITHFIELD, VA 23430 |
| Owner Name: | Ownername |
| Owner Type: | Private |
| Operator Name: | Opername |
| Operator Type: | Private |
| Short-Term Generator Activity: | No |
| Importer Activity: | No |
| Mixed Waste Generator: | No |
| Transporter Activity: | No |
| Transfer Facility Activity: | No |
| Recycler Activity with Storage: | No |
| Small Quantity On-Site Burner Exemption: | No |
| Smelting Melting and Refining Furnace Exemption: | No |
| Underground Injection Control: | No |

**KEENS AUTOMOTIVE MACHINE SHOP# (Continued)** **1000318854**

| | |
|---|---|
| Off-Site Waste Receipt: | No |
| Universal Waste Indicator: | No |
| Universal Waste Destination Facility: | No |
| Federal Universal Waste: | No |
| Active Site State-Reg Handler: | --- |
| Federal Facility Indicator: | Not reported |
| Hazardous Secondary Material Indicator: | NN |
| Sub-Part K Indicator: | Not reported |
| 2018 GPRA Permit Baseline: | Not on the Baseline |
| 2018 GPRA Renewals Baseline: | Not on the Baseline |
| 202 GPRA Corrective Action Baseline: | No |
| Subject to Corrective Action Universe: | No |
| Non-TSDFs Where RCRA CA has Been Imposed Universe: | No |
| Corrective Action Priority Ranking: | No NCAPS ranking |
| Environmental Control Indicator: | No |
| Institutional Control Indicator: | No |
| Human Exposure Controls Indicator: | N/A |
| Groundwater Controls Indicator: | N/A |
| Significant Non-Complier Universe: | No |
| Unaddressed Significant Non-Complier Universe: | No |
| Addressed Significant Non-Complier Universe: | No |
| Significant Non-Complier With a Compliance Schedule Universe: | No |
| Financial Assurance Required: | Not reported |
| Handler Date of Last Change: | 20150414 |
| Recognized Trader-Importer: | No |
| Recognized Trader-Exporter: | No |
| Importer of Spent Lead Acid Batteries: | No |
| Exporter of Spent Lead Acid Batteries: | No |
| Recycler Activity Without Storage: | Not reported |
| Manifest Broker: | Not reported |
| Sub-Part P Indicator: | No |

Handler - Owner Operator:

| | |
|---|---|
| Owner/Operator Indicator: | Owner |
| Owner/Operator Name: OWNERNAME | |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | OWNERSTREET |
| Owner/Operator City,State,Zip: | OWNERCITY, AK 99999 |
| Owner/Operator Telephone: | 215-555-1212 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

| | |
|---|---|
| Owner/Operator Indicator: | Operator |
| Owner/Operator Name: OPERNAME | |
| Legal Status: | Private |
| Date Became Current: | Not reported |
| Date Ended Current: | Not reported |
| Owner/Operator Address: | OPERSTREET |
| Owner/Operator City,State,Zip: | OPERCITY, AK 99999 |
| Owner/Operator Telephone: | 215-555-1212 |
| Owner/Operator Telephone Ext: | Not reported |
| Owner/Operator Fax: | Not reported |
| Owner/Operator Email: | Not reported |

**KEENS AUTOMOTIVE MACHINE SHOP# (Continued)** **1000318854**

Historic Generators:
- Receive Date: 19800818
- Handler Name: KEENS AUTOMOTIVE MACHINE SHOP#
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Va
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Code: 333319
- NAICS Description: OTHER COMMERCIAL AND SERVICE INDUSTRY MACHINERY MANUFACTURING

- NAICS Code: 44131
- NAICS Description: AUTOMOTIVE PARTS AND ACCESSORIES STORES

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

FINDS:
- Registry ID: 110006454639

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
- Envid: 1000318854
- Registry ID: 110006454639
- DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110006454639
- Name: KEENS AUTOMOTIVE MACHINE SHOP#
- Address: 405 GRACE ST
- City,State,Zip: SMITHFIELD, VA 23430

**D20**
**NE**
**< 1/8**
**0.067 mi.**
**352 ft.**

**OLD HEALTH DEPARTMENT**
**402 GRACE ST**
**SMITHFIELD, VA 23430**

**Site 5 of 5 in cluster D**

**LTANKS** **S113913330**
**N/A**

**Relative:**
**Lower**

**Actual:**
**29 ft.**

LTANKS:

| | |
|---|---|
| Name: | OLD HEALTH DEPARTMENT |
| Address: | 402 GRACE ST |
| City,State,Zip: | SMITHFIELD, VA 23430-1134 |
| City,State,Zip: | SMITHFIELD, VA 23430-1134 |
| Region: | TRO |
| CEDS Facility Id: | 200000860069 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20145013 |
| Reported: | 08/12/2013 |
| Case Closed Date: | 11/12/2013 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | Y |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 3 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

**21**
**WSW**
**< 1/8**
**0.095 mi.**
**502 ft.**

**PARKER RESIDENCE**
**700 MAIN STREET**
**SMITHFIELD, VA 23430**

**LUST** **S111023882**
**LTANKS** **N/A**

**Relative:**
**Higher**

**Actual:**
**33 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000066479 |
| **Facility Status:** | **Closed** |
| Completed Date: | 08/04/1994 |
| Pollution Complaint Num: | 19952223 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | APPROX. 10-GALLON SPILL DURING EXCAVATION OF A 300-GAL. H.O. UST. |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000066479 |
| **Facility Status:** | **Closed** |
| Completed Date: | 08/09/1994 |
| Pollution Complaint Num: | 19952223 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | CASE CLOSED. |

LTANKS:

| | |
|---|---|
| Name: | PARKER RESIDENCE |
| Address: | 700 MAIN STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | Not reported |
| CEDS Facility Id: | 200000066479 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19952223 |
| Reported: | 08/04/1994 |
| Case Closed Date: | 08/09/1994 |
| Program: | Not reported |
| Federally Regulated UST (Y/N): | Not reported |
| Regulated Petroleum UST (1): | Not reported |
| Excluded UST (1): | Not reported |
| Deferred UST (1): | Not reported |
| Partially Deferred UST (1): | Not reported |
| Exempt 1 UST (2): | Not reported |
| Exempt 2 Heating Oil UST (2): | Not reported |
| Small Heating Oil AST (2): | Not reported |
| Regulated AST (3): | Not reported |
| Unregulated AST (3): | Not reported |
| Other Y/N: | Not reported |
| Unknown Y/N: | Not reported |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | seburkett |
| Changed Date: | 12/15/2006 |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |

**PARKER RESIDENCE (Continued)** **S111023882**

| | |
|---|---|
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | 12667 |
| RST Poll Complaint Number: | 19952223 |
| Des First Name: | Joseph |
| Des Last Name: | Fly |
| RST Rec Code: | TRO |
| RST Priority: | 1 |
| RST Fed Reg Tank: | N |
| RST Responsibility Ind: | RP Lead |
| RST Suspect Confirm Ind: | Suspected |
| Facility Location: | Not reported |
| FIC Description: | Isle of Wight County |
| Latitude: | 36.9756946537625 |
| Longitude: | -76.6463442780638 |

---

**22** **PICOTT STELLA RESIDENCE** **LUST** **S110609690**
**ENE** **107 COCKES LN** **LTANKS** **N/A**
**< 1/8** **SMITHFIELD, VA 23430** **SPILLS**
**0.119 mi.**
**629 ft.**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000854081 |
| **Facility Status:** | **Closed** |
| Completed Date: | 08/28/2010 |
| Pollution Complaint Num: | 20115012 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release Reported |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000854081 |
| **Facility Status:** | **Closed** |
| Completed Date: | 11/01/2010 |
| Pollution Complaint Num: | 20115012 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

LTANKS:

| | |
|---|---|
| Name: | PICOTT RESIDENCE |
| Address: | 107 COCKES LN |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000854081 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20115012 |
| Reported: | 08/28/2010 |
| Case Closed Date: | 11/01/2010 |

**PICOTT STELLA RESIDENCE (Continued)** **S110609690**

| | |
|---|---|
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | Y |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 3 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

SPILLS:

| | |
|---|---|
| Name: | Not reported |
| Address: | 107 COCKES LANE |
| City,State,Zip: | SMITHFIELD, VA |
| City,State,Zip: | SMITHFIELD, VA |
| Fips City/County: | 093/Isle of Wight County |
| Status: | Closed |
| Reference Id: | 5585 |
| IR Number: | 2011-T-0556 |
| Associated IR: | Not reported |
| Incident Date: | 08/27/2010 |
| Call Received Date: | 08/30/2010 |
| Closure Comments: | PC#2011-5012 assigned for follow-up |
| Threat To: | Human Health |
| Terrorism (Y/N): | N |
| Characterize Incident: | Accidental |
| Incident Type: | Petroleum(Petroleum), Surface Spill(Petroleum) |
| Incident Subtype: | Petroleum * Surface Spill |
| Materials: | Kerosene |
| Effect To Receptor: | Not reported |
| Water Body: | Not reported |

**PICOTT STELLA RESIDENCE (Continued)** **S110609690**

| | |
|---|---|
| Low Quantity To Water: | Not reported |
| High Quantity To Water: | Not reported |
| Quantity Units: | Not reported |
| Other Receptors: | Not reported |
| RP Company: | Not reported |
| RP Name: | Not reported |
| Property Owner: | STELLAPICKETT |
| Property Company: | Not reported |
| Duration Of Event (Hrs): | 0 |
| Impacts: | Not reported |
| Other Impacts: | Not reported |
| Steps Taken: | Not reported |
| Steps Taken Description: | Not reported |
| System Components: | Not reported |
| Other System Components: | Not reported |
| Cause Of Event: | Not reported |
| Corrective Action Taken: | Not reported |
| Weather Status: | No |
| Precipitation (Wet): | 0 |
| Discharge Type: | Not reported |
| Discharge Volume: | 0 |
| Unknown Discharge (Y/N): | N |
| Site Name: | RESIDENCE - KEROSENE SPILL |
| Closure Date: | 11/01/2010 |
| Orig. Call Incident Description: | RHMO HARING ADVISED EOC THAT HE WAS CONTACTED BY LOCAL COORDINATOR HODGES REF A KEROSENE SPILL. APPROX 200 GAL OF KEROSINE HAS LEAKED AND HAS POOLED UNDER A RESIDENCE (170 COCKES LANE, SMITHFIELD). THE HOMEOWNER, STELLA PICKETT, SWICHED TO AN ELECTRIC FURNACE IN THE SPRING AND THE REMAINING KEROSINE WAS LEFT UNATTENDED. RHMO HARING REQ TO SPEAK WITH ON CALL DEQ OFFICER. DEQ PAGED AND CONTACT FOR HARING GIVEN. RHMO HARING ADVISED EOC THAT DEQ WILL BE CONTACTING HOMEOWNER AND FURTHER HANDLING SITUATION. |
| Original Call Material Description: | KEROSENE |
| Original Call Location Description: | 107 COCKES LANE |
| Incident Ongoing at time of Call: | No |
| Agencies Notified (Y/N): | Y |
| Other Agencies: | Not reported |
| Permitted (Y/N): | No |
| Call Reported By Company Name: | Not reported |
| Call Property Owner Company Name: | Not reported |
| Call Property Owner Name: | STELLA PICKETT |
| Site Summary: | RHMO HARING ADVISED EOC THAT HE WAS CONTACTED BY LOCAL COORDINATOR HODGES REF A KEROSENE SPILL. APPROX 200 GAL OF KEROSINE HAS LEAKED AND HAS POOLED UNDER A RESIDENCE (170 COCKES LANE, SMITHFIELD). THE HOMEOWNER, STELLA PICKETT, SWICHED TO AN ELECTRIC FURNACE IN THE SPRING AND THE REMAINING KEROSINE WAS LEFT UNATTENDED. RHMO HARING REQ TO SPEAK WITH ON CALL DEQ OFFICER. DEQ PAGED AND CONTACT FOR HARING GIVEN. RHMO HARING ADVISED EOC THAT DEQ WILL BE CONTACTING HOMEOWNER AND FURTHER HANDLING SITUATION. |

**23**
**NNE**
**1/8-1/4**
**0.161 mi.**
**850 ft.**

**BARLOW PROPERTY**
**227 JAMES ST**
**SMITHFIELD, VA 23430**

**LTANKS** **S116625156**
**N/A**

**Relative:**
**Lower**

**Actual:**
**26 ft.**

LTANKS:

| | |
|---|---|
| Name: | BARLOW PROPERTY |
| Address: | 227 JAMES ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000874227 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20145147 |
| Reported: | 03/04/2014 |
| Case Closed Date: | 11/21/2014 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | Y |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 2 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

**E24** **BEN FRANKLIN STORE** **LUST** **S108425636**
**ENE** **217 MAIN ST** **LTANKS** **N/A**
**1/8-1/4** **SMITHFIELD, VA 23430**
**0.229 mi.**
**1211 ft.** **Site 1 of 2 in cluster E**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000845832 |
| **Facility Status:** | **Closed** |
| Completed Date: | 02/12/2007 |
| Pollution Complaint Num: | 20075082 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release reported |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000845832 |
| **Facility Status:** | **Closed** |
| Completed Date: | 05/25/2007 |
| Pollution Complaint Num: | 20075082 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

LTANKS:

| | |
|---|---|
| Name: | BEN FRANKLIN STORE |
| Address: | 217 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000845832 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20075082 |
| Reported: | 02/12/2007 |
| Case Closed Date: | 05/25/2007 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | Y |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 3 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |

**BEN FRANKLIN STORE (Continued)** **S108425636**

| | |
|---|---|
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

---

**E25** **FORMER GAS STATION** **LUST** **U003692876**
**ENE** **204 MAIN STREET** **LTANKS** **N/A**
**1/4-1/2** **SMITHFIELD, VA 23430** **UST**
**0.268 mi.**
**1417 ft.** **Site 2 of 2 in cluster E**

**Relative:**
**Higher**

**Actual:**
**33 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000087468 |
| **Facility Status:** | **Closed** |
| Completed Date: | 06/12/1996 |
| Pollution Complaint Num: | 19972212 |
| Fed Regulated Tank: | Yes |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | TANKS REMOVED. 1 OF 5 SAMPLES HAD ELEVATED TPH |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000087468 |
| **Facility Status:** | **Closed** |
| Completed Date: | 07/30/1996 |
| Pollution Complaint Num: | 19972212 |
| Fed Regulated Tank: | Yes |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | NO FURTHER ACTION NEEDED. SITE CLOSED. |

LTANKS:

| | |
|---|---|
| Name: | FORMER GAS STATION |
| Address: | 204 MAIN STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000087468 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19972212 |
| Reported: | 06/12/1996 |
| Case Closed Date: | 07/30/1996 |

**FORMER GAS STATION (Continued)** **U003692876**

| | |
|---|---|
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

Facility:

| | |
|---|---|
| Name: | FORMER GAS STATION |
| Address: | 204 MAIN STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5027749 |
| Facility Type: | INDUSTRIAL |
| CEDS Facility ID: | 200000087468 |

Owner:

| | |
|---|---|
| Owner Id: | 30540 |
| Owner Name: | Smithfield Foods Inc |
| Owner Address: | 200 Commerce St |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | Smithfield, VA 23430 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 3 |

**FORMER GAS STATION (Continued)** **U003692876**

UST:

| | |
|---|---|
| Facility ID: | 5027749 |
| Federally Regulated: | Yes |
| Tank Number: | R1 |
| Tank Capacity: | 2000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | Not reported |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | Yes |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |

**FORMER GAS STATION (Continued)** **U003692876**

| | |
|---|---|
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |
| | |
| Facility ID: | 5027749 |
| Federally Regulated: | Yes |
| | |
| Tank Number: | R2 |
| Tank Capacity: | 2000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | Not reported |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |

**FORMER GAS STATION (Continued)** **U003692876**

| | |
|---|---|
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| | |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | Yes |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |
| | |
| Facility ID: | 5027749 |
| Federally Regulated: | Yes |
| | |
| Tank Number: | R3 |
| Tank Capacity: | 2000 |
| Tank Contents: | GASOLINE |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | Not reported |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |

**FORMER GAS STATION (Continued)** **U003692876**

| | |
|---|---|
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| | |
| Pipe Type: | NO VALVE SUCTION |
| Pipe Materials: Bare Steel | Yes |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

---

**F26** **TOWN OF SMITHFIELD PROPERTY** **LUST S111014055**
**NE** **117 N CHURCH ST** **LTANKS N/A**
**1/4-1/2** **SMITHFIELD, VA 23431**
**0.341 mi.**
**1798 ft.** **Site 1 of 2 in cluster F**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000855390 |
| **Facility Status:** | **Closed** |
| Completed Date: | 03/03/2011 |
| Pollution Complaint Num: | 20115116 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release Reported |
| | |
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000855390 |
| **Facility Status:** | **Closed** |
| Completed Date: | 07/27/2011 |
| Pollution Complaint Num: | 20115116 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

LTANKS:

| | |
|---|---|
| Name: | FORMER DRY CLEANER SITE |
| Address: | 117 N CHURCH ST |

**TOWN OF SMITHFIELD PROPERTY (Continued)** **S111014055**

| | |
|---|---|
| City,State,Zip: | SMITHFIELD, VA 23431 |
| City,State,Zip: | SMITHFIELD, VA 23431 |
| Region: | TRO |
| CEDS Facility Id: | 200000855390 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20115116 |
| Reported: | 03/03/2011 |
| Case Closed Date: | 07/27/2011 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | Y |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 1 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

---

**F27** **REDLIN ROBERT PROPERTY** **LUST** **S110788080**
**NE** **119 N CHURCH ST** **LTANKS** **N/A**
**1/4-1/2** **SMITHFIELD, VA 23431**
**0.345 mi.**
**1820 ft.** **Site 2 of 2 in cluster F**

**Relative:**
**Higher**

**Actual:**
**30 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000854985 |
| **Facility Status:** | **Closed** |
| Completed Date: | 03/03/2011 |
| Pollution Complaint Num: | 20115090 |
| Fed Regulated Tank: | No |

**REDLIN ROBERT PROPERTY (Continued)** **S110788080**

| | |
|---|---|
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release Reported |
| | |
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000854985 |
| **Facility Status:** | **Closed** |
| Completed Date: | 05/23/2011 |
| Pollution Complaint Num: | 20115090 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

LTANKS:

| | |
|---|---|
| Name: | REDLIN PROPERTY |
| Address: | 119 N CHURCH ST |
| City,State,Zip: | SMITHFIELD, VA 23431 |
| City,State,Zip: | SMITHFIELD, VA 23431 |
| Region: | TRO |
| CEDS Facility Id: | 200000854985 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20115090 |
| Reported: | 03/03/2011 |
| Case Closed Date: | 05/23/2011 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | Y |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Category 3 |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |

**REDLIN ROBERT PROPERTY (Continued)** **S110788080**

Facility Location: Not reported
FIC Description: Not reported
Latitude: Not reported
Longitude: Not reported

---

**28**
**NE**
**1/4-1/2**
**0.357 mi.**
**1885 ft.**

**SYDNORS PARTS & SERVICE (FORMER)** **LUST** **S105985716**
**104 N. CHURCH STREET** **LTANKS** **N/A**
**SMITHFIELD, VA 23430**

**Relative:**
**Higher**

**Actual:**
**31 ft.**

LUST REG TD:

Region: TD
Region Code: TRO
Facility ID: 200000065218
**Facility Status:** **Closed**
Completed Date: 08/22/1995
Pollution Complaint Num: 19962229
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: TPH IN 1 OF 3 BORINGS TAKEN AROUND GAS USTS ABANDONED IN 1986.

Region: TD
Region Code: TRO
Facility ID: 200000065218
**Facility Status:** **Closed**
Completed Date: 10/27/1995
Pollution Complaint Num: 19962229
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED.

Region: TD
Region Code: TRO
Facility ID: 200000065218
**Facility Status:** **Closed**
Completed Date: 06/12/1996
Pollution Complaint Num: 19972213
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: USTS REMOVED.

Region: TD
Region Code: TRO
Facility ID: 200000065218
**Facility Status:** **Closed**
Completed Date: 07/30/1996
Pollution Complaint Num: 19972213
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: SITE CLOSED. NO FURTHER ACTION NEEDED.

LTANKS:

**SYDNORS PARTS & SERVICE (FORMER) (Continued)** **S105985716**

| | |
|---|---|
| Name: | FORMER SYDNORS PARTS & SERVICE |
| Address: | 104 N. CHURCH STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | Not reported |
| CEDS Facility Id: | 200000065218 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19962229 |
| Reported: | 08/22/1995 |
| Case Closed Date: | 10/27/1995 |
| Program: | Not reported |
| Federally Regulated UST (Y/N): | Not reported |
| Regulated Petroleum UST (1): | Not reported |
| Excluded UST (1): | Not reported |
| Deferred UST (1): | Not reported |
| Partially Deferred UST (1): | Not reported |
| Exempt 1 UST (2): | Not reported |
| Exempt 2 Heating Oil UST (2): | Not reported |
| Small Heating Oil AST (2): | Not reported |
| Regulated AST (3): | Not reported |
| Unregulated AST (3): | Not reported |
| Other Y/N: | Not reported |
| Unknown Y/N: | Not reported |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | seburkett |
| Changed Date: | 05/17/2006 |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | 12883 |
| RST Poll Complaint Number: | 19962229 |
| Des First Name: | Joseph |
| Des Last Name: | Fly |
| RST Rec Code: | TRO |
| RST Priority: | 3 |
| RST Fed Reg Tank: | Y |
| RST Responsibility Ind: | RP Lead |
| RST Suspect Confirm Ind: | Suspected |
| Facility Location: | Not reported |
| FIC Description: | Isle of Wight County |
| Latitude: | 36.9823631869993 |
| Longitude: | -76.6313685861331 |

| | |
|---|---|
| Name: | FORMER SYDNORS PARTS & SERVICE |
| Address: | 104 N. CHURCH STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000065218 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19972213 |
| Reported: | 06/12/1996 |
| Case Closed Date: | 07/30/1996 |
| Program: | RP Lead |

**SYDNORS PARTS & SERVICE (FORMER) (Continued)** **S105985716**

| | |
|---|---|
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

---

**29**
**WSW**
**1/4-1/2**
**0.442 mi.**
**2334 ft.**

**TOWN OF SMITHFIELD PROPERTY** **LTANKS** **S121484985**
**888 W MAIN ST** **N/A**
**SMITHFIELD, VA 23430**

**Relative:**
**Higher**

**Actual:**
**64 ft.**

LTANKS:

| | |
|---|---|
| Name: | TOWN OF SMITHFIELD PROPERTY |
| Address: | 888 W MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000886293 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20185156 |
| Reported: | 01/16/2018 |
| Case Closed Date: | 01/18/2018 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |

**TOWN OF SMITHFIELD PROPERTY (Continued)** **S121484985**

| | |
|---|---|
| Exempt 1 UST (2): | Y |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

---

**30** **S.W. RAWLS, INC / BULK PLANT** **LUST** **U003690935**
**WSW** **895 MAIN ST** **LTANKS** **N/A**
**1/4-1/2** **SMITHFIELD, VA 23430** **UST**
**0.472 mi.** **AST**
**2492 ft.** **SPILLS**

**Relative:**
**Higher**

**Actual:**
**50 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000091626 |
| **Facility Status:** | **Closed** |
| Completed Date: | 11/03/2008 |
| Pollution Complaint Num: | 20095059 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | Release reported |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000091626 |
| **Facility Status:** | **Closed** |
| Completed Date: | 06/30/2009 |
| Pollution Complaint Num: | 20095059 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | Case Closed |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 09/26/2005
Pollution Complaint Num: 20065046
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 07/31/2006
Pollution Complaint Num: 20065046
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 01/03/2006
Pollution Complaint Num: 20065095
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: Release reported

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 05/12/2006
Pollution Complaint Num: 20065095
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 11/09/2006
Pollution Complaint Num: 20075050
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: 15,000 diesel AST leak of approx. 300 gal.

Region: TD
Region Code: TRO

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 12/17/2008
Pollution Complaint Num: 20075050
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed, no further corrective action letter sent

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 05/21/1999
Pollution Complaint Num: 19992393
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: CONTAM SOIL FOUND DURING UST REMOVAL.

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 06/25/1999
Pollution Complaint Num: 19992393
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: BASED ON INFO RCVD, CASE CLOSED. NFAR.

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 04/22/1994
Pollution Complaint Num: 19943566
Fed Regulated Tank: No
Phase Code: RR
Event Description: Release Reported
Comments: REPORT OF FREE PRODUCT (H.O.) IN WELLS AST AND/OR O/W SEPARATOR.

Region: TD
Region Code: TRO
Facility ID: 200000091626
**Facility Status:** **Closed**
Completed Date: 07/15/2005
Pollution Complaint Num: 19943566
Fed Regulated Tank: No
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: CASE CLOSED. NEED MW STATUS # Case originally closed on 09/02/1998

LTANKS:
Name: SW RAWLS INCORPORATED - BULK PLANT
Address: 895 MAIN ST
City,State,Zip: SMITHFIELD, VA 23430

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20065095 |
| Reported: | 01/03/2006 |
| Case Closed Date: | 05/12/2006 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | Y |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

| | |
|---|---|
| Name: | SW RAWLS INCORPORATED - 895 MAIN ST |
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20065046 |
| Reported: | 09/26/2005 |
| Case Closed Date: | 07/31/2006 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | Y |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

| | |
|---|---|
| Name: | SW RAWLS INCORPORATED - BULK PLANT |
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20095059 |
| Reported: | 11/03/2008 |
| Case Closed Date: | 06/30/2009 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | Y |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

| | |
|---|---|
| Name: | SW RAWLS INCORPORATED - 895 MAIN STREET |
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 20075050 |
| Reported: | 11/09/2006 |
| Case Closed Date: | 12/17/2008 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | Y |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |
| | |
| Name: | SW RAWLS INCORPORATED - BULK PLANT |
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19943566 |
| Reported: | 04/22/1994 |
| Case Closed Date: | 07/15/2005 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | N |
| Regulated Petroleum UST (1): | N |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | Y |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |
| | |
| Name: | BULK PLANT |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | TRO |
| CEDS Facility Id: | 200000091626 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19992393 |
| Reported: | 05/21/1999 |
| Case Closed Date: | 06/25/1999 |
| Program: | RP Lead |
| Federally Regulated UST (Y/N): | Y |
| Regulated Petroleum UST (1): | Y |
| Excluded UST (1): | N |
| Deferred UST (1): | N |
| Partially Deferred UST (1): | N |
| Exempt 1 UST (2): | N |
| Exempt 2 Heating Oil UST (2): | N |
| Small Heating Oil AST (2): | N |
| Regulated AST (3): | N |
| Unregulated AST (3): | N |
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

Facility:

| | |
|---|---|
| Name: | S.W. RAWLS, INC / BULK PLANT |
| Address: | 895 MAIN ST |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5012511 |
| Facility Type: | PETROLEUM DISTRIBUTOR |
| CEDS Facility ID: | 200000091626 |

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Owner Address2: | P.O. Box 777 |
| Owner City, State, Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |

UST:

| | |
|---|---|
| Facility ID: | 5012511 |
| Federally Regulated: | Yes |
| Tank Number: | R2 |
| Tank Capacity: | 550 |
| Tank Contents: | USED OIL |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | 4/28/1985 |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |
| Pipe Type: | UNKNOWN |
| Pipe Materials: Bare Steel | No |
| Pipe Materials: Galvanized Steel | Yes |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

AST:

| | |
|---|---|
| Facility ID: | 5012511 |
| Facility Type: | PETROLEUM DISTRIBUTOR |
| CEDS Facility ID: | 200000091626 |

Tank Info:

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |
| Fed Regulated: | No |
| Tank Number: | 1 |
| Tank Type: | AST |
| Tank Capacity: | 15000 |
| Tank Contents: | GASOLINE |
| Tank Status: | DISMANTLED |
| Install Date: | 5/1/1975 |
| Date Closed: | 10/20/2008 |

Tank Containment:

| | |
|---|---|
| Install Date: | 5/1/1975 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |
| Containment: Other | No |
| Containment: Other Note | Not reported |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |

| | |
|---|---|
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |
| Tank Type Other Specify: | N |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |

| | |
|---|---|
| Fed Regulated: | No |
| Tank Number: | 2 |
| Tank Type: | AST |
| Tank Capacity: | 20000 |
| Tank Contents: | GASOLINE |
| Tank Status: | DISMANTLED |
| Install Date: | 2/15/2006 |
| Date Closed: | 10/20/2008 |

Tank Containment:

| | |
|---|---|
| Install Date: | 2/15/2006 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |
| Containment: Other | No |
| Containment: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |

| | |
|---|---|
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |
| Tank Type Other Specify: | N |

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |

| | |
|---|---|
| Fed Regulated: | No |
| Tank Number: | 3 |
| Tank Type: | AST |
| Tank Capacity: | 20000 |
| Tank Contents: | FUEL OIL |
| Tank Status: | DISMANTLED |
| Install Date: | 5/1/1975 |
| Date Closed: | 10/20/2008 |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Tank Containment:

| | |
|---|---|
| Install Date: | 5/1/1975 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |
| Containment: Other | No |
| Containment: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |

| | |
|---|---|
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |
| Tank Type Other Specify: | N |

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |

| | |
|---|---|
| Fed Regulated: | No |
| Tank Number: | 4 |
| Tank Type: | AST |
| Tank Capacity: | 20000 |
| Tank Contents: | FUEL OIL |
| Tank Status: | DISMANTLED |
| Install Date: | 5/1/1975 |
| Date Closed: | 10/20/2008 |

Tank Containment:

| | |
|---|---|
| Install Date: | 5/1/1975 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |
| Containment: Other | No |
| Containment: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |
| | |
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |
| Tank Type Other Specify: | N |

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |
| Fed Regulated: | No |
| Tank Number: | 5 |
| Tank Type: | AST |
| Tank Capacity: | 15000 |
| Tank Contents: | DIESEL |
| Tank Status: | DISMANTLED |
| Install Date: | 5/1/1975 |
| Date Closed: | 10/20/2008 |

Tank Containment:

| | |
|---|---|
| Install Date: | 5/1/1975 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |
| Containment: Other | No |
| Containment: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |
| Tank Type Other Specify: | N |

Owner:

| | |
|---|---|
| Owner Id: | 31884 |
| Owner Name: | S.W. Rawls Inc |
| Owner Address: | 100 Bowers Rd |
| Owner Address2: | P.O. Box 777 |
| Owner City/State/Zip: | Franklin, VA 23851 |
| Owner Type: | PRIVATE |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 6 |
| Number of Inactive UST: | 1 |

| | |
|---|---|
| Fed Regulated: | No |
| Tank Number: | 6 |
| Tank Type: | AST |
| Tank Capacity: | 20000 |
| Tank Contents: | KEROSENE |
| Tank Status: | DISMANTLED |
| Install Date: | 1/1/1996 |
| Date Closed: | 10/20/2008 |

Tank Containment:

| | |
|---|---|
| Install Date: | 1/1/1996 |
| Containment: Curbing | No |
| Containment: Weirs | No |
| Containment: Sorbent | No |
| Containment: Culvert | No |
| Containment: Diversion | No |
| Containment: Retention | No |
| Containment: Dike | Yes |
| Containment: Unknown | No |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

| | |
|---|---|
| Containment: Other | No |
| Containment: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Release Detection: Ground Water | Yes |
| Release Detection: Visual | No |
| Release Detection: Vapor | No |
| Release Detection: Interstitial | No |
| Release Detection: None | No |
| Release Detection: Other | No |
| Release Detection: Other Note | Not reported |
| Release Prevention: Double Bottom | No |
| Release Prevention: Double Walled | No |
| Release Prevention: Lined Interior | Not reported |
| Release Prevention: Poly Jacket | No |
| Release Prevention: Exc Liner | Yes |
| Release Prevention: None | No |
| Release Prevention: Unknown | No |
| Release Prevention: Other | No |
| Release Prevention: Other Note | Not reported |

| | |
|---|---|
| Tank Foundation: Steel | No |
| Tank Foundation: Earthen | Yes |
| Tank Foundation: Concrete Imp | No |
| Tank Foundation: Unknown | No |
| Tank Foundation: Other | No |
| Tank Foundation: Other Note | Not reported |
| Tank Roof: Float | No |
| Tank Roof: Cone | Yes |
| Tank Roof: Breather | Not reported |
| Tank Roof: Dbldeck | Not reported |
| Tank Roof: Pontoon | Not reported |
| Tank Roof: Balloon | Not reported |
| Tank Roof: Lifter | Not reported |
| Tank Roof: Pan | Not reported |
| Tank Roof: Other | No |
| Tank Roof: Other Note | Not reported |

Tank Material:

| | |
|---|---|
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Concrete | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |
| Tank Type Cathodic/CP: | N |
| Tank Type Single Wall: | N |
| Tank Type Double Wall: | N |
| Tank Type Lined Interior: | N |
| Tank Type Double Bottom: | N |
| Tank Type Potable/Skid: | N |
| Tank Type Shop Fabricated/Built: | N |
| Tank Type Vaulted Below Grade: | N |
| Tank Type Vertical: | N |
| Tank Type Horizontal: | N |
| Tank Type Unknown: | N |
| Tank Type Other: | N |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Tank Type Other Specify: N

SPILLS:

| | |
|---|---|
| Name: | Not reported |
| Address: | 895 MAIN STREET |
| City,State,Zip: | SMITHFIELD, VA |
| City,State,Zip: | SMITHFIELD, VA |
| Fips City/County: | 093/Isle of Wight County |
| Status: | Under Investigation |
| Reference Id: | 279092 |
| IR Number: | 2007-T-0518 |
| Associated IR: | Not reported |
| Incident Date: | 11/09/2006 |
| Call Received Date: | 11/09/2006 |
| Closure Comments: | See Site Comments for details |
| Threat To: | Not reported |
| Terrorism (Y/N): | NO |
| Characterize Incident: | Not reported |
| Incident Type: | Petroleum(Petroleum) |
| Incident Subtype: | Petroleum |
| Materials: | Oil (Fuel-Diesel) |
| Effect To Receptor: | Not reported |
| Water Body: | Not reported |
| Low Quantity To Water: | Not reported |
| High Quantity To Water: | Not reported |
| Quantity Units: | Not reported |
| Other Receptors: | Not reported |
| RP Company: | Bernard Rook |
| RP Name: | BernardRook |
| Property Owner: | Not reported |
| Property Company: | Not reported |
| Duration Of Event (Hrs): | Not reported |
| Impacts: | Not reported |
| Other Impacts: | Not reported |
| Steps Taken: | Not reported |
| Steps Taken Description: | Not reported |
| System Components: | Not reported |
| Other System Components: | Not reported |
| Cause Of Event: | Not reported |
| Corrective Action Taken: | Not reported |
| Weather Status: | No |
| Precipitation (Wet): | Not reported |
| Discharge Type: | Not reported |
| Discharge Volume: | Not reported |
| Unknown Discharge (Y/N): | NO |
| Site Name: | S W RAULS SMITHFIELD BULK PLANT |
| Closure Date: | Not reported |
| Orig. Call Incident Description: | A 15,000 GAL TANK IS LEAKING, UNKNOWN AMOUNT TO THE GROUND; BOOMS & ABSORBENTS APPLIED |
| Original Call Material Description: | DIESEL FUEL |
| Original Call Location Description: | S W Rauls Smithfield Bulk Plant-895 Main Street-Smithfield-VA--Isle of Wight County |
| Incident Ongoing at time of Call: | No |
| Agencies Notified (Y/N): | NO |
| Other Agencies: | Not reported |

**S.W. RAWLS, INC / BULK PLANT (Continued)** **U003690935**

Permitted (Y/N): No
Call Reported By Company Name: SW Rauls, Inc
Call Property Owner Company Name: Not reported
Call Property Owner Name: Not reported
Site Summary: Not reported

---

**31**
**NE**
**1/4-1/2**
**0.487 mi.**
**2571 ft.**

**SMITHFIELD DRYCLEANERS**
**230 N CHURCH STREET**
**SMITHFIELD, VA 23430**

**LUST** **1004606787**
**LTANKS** **N/A**
**FINDS**
**ECHO**

**Relative:**
**Lower**

**Actual:**
**13 ft.**

LUST REG TD:

Region: TD
Region Code: TRO
Facility ID: 200000067063
**Facility Status:** **Closed**
Completed Date: 04/29/1997
Pollution Complaint Num: 19972393
Fed Regulated Tank: Yes
Phase Code: RR
Event Description: Release Reported
Comments: CONTAM FOUND DURING PHASE II ASSESSMENT

Region: TD
Region Code: TRO
Facility ID: 200000067063
**Facility Status:** **Closed**
Completed Date: 10/22/2001
Pollution Complaint Num: 19972393
Fed Regulated Tank: Yes
Phase Code: CLOSURE
Event Description: Case Closure Date - Letter Sent
Comments: Case closed/no further action letter sent

LTANKS:

Name: SMITHFIELD SHOPPING CENTER
Address: 202-230 N CHURCH STREET
City,State,Zip: SMITHFIELD, VA 23430
City,State,Zip: SMITHFIELD, VA 23430
Region: TRO
CEDS Facility Id: 200000067063
**Case Status:** **Closed**
Pollution Complaint #: 19972393
Reported: 04/29/1997
Case Closed Date: 10/22/2001
Program: RP Lead
Federally Regulated UST (Y/N): Y
Regulated Petroleum UST (1): Y
Excluded UST (1): N
Deferred UST (1): N
Partially Deferred UST (1): N
Exempt 1 UST (2): N
Exempt 2 Heating Oil UST (2): N
Small Heating Oil AST (2): N
Regulated AST (3): N
Unregulated AST (3): N

**SMITHFIELD DRYCLEANERS (Continued)** **1004606787**

| | |
|---|---|
| Other Y/N: | N |
| Unknown Y/N: | N |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | Not reported |
| Changed Date: | Not reported |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | Not reported |
| RST Poll Complaint Number: | Not reported |
| Des First Name: | Not reported |
| Des Last Name: | Not reported |
| RST Rec Code: | Not reported |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | Not reported |
| RST Responsibility Ind: | Not reported |
| RST Suspect Confirm Ind: | Not reported |
| Facility Location: | Not reported |
| FIC Description: | Not reported |
| Latitude: | Not reported |
| Longitude: | Not reported |

FINDS:
Registry ID: 110001899713

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
ICIS-Air (AIR) AIR is the modernization of the Air Facility System (AFS) into the Integrated Compliance Information System (ICIS). AIR contains enforcement, compliance, and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Air Facility System (AFS) contains compliance and permit data for stationary sources of air pollution regulated by the EPA, state, and local air pollution agencies.
The Comprehensive Environmental Data System (CEDS) is the Virginia Department of Environmental Quality's (DEQ) electronic data system for maintaining data on sources of pollutants in all media.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

| | |
|---|---|
| Envid: | 1004606787 |
| Registry ID: | 110001899713 |
| DFR URL: | http://echo.epa.gov/detailed-facility-report?fid=110001899713 |
| Name: | SMITHFIELD DRYCLEANERS |
| Address: | 230 N CHURCH STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |

**32 SMITHFIELD FOODS CORPORATE OFFICES** **LUST U003692931**
**NE 200 COMMERCE STREET** **LTANKS N/A**
**1/4-1/2 SMITHFIELD, VA 23430** **UST**
**0.499 mi.**
**2637 ft.**

**Relative:**
**Lower**

**Actual:**
**4 ft.**

LUST REG TD:

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000067055 |
| **Facility Status:** | **Closed** |
| Completed Date: | 04/04/1997 |
| Pollution Complaint Num: | 19972379 |
| Fed Regulated Tank: | No |
| Phase Code: | RR |
| Event Description: | Release Reported |
| Comments: | ABANDONED UST FOUND DURING CONSTRUCTION OF NEW BLDG. |

| | |
|---|---|
| Region: | TD |
| Region Code: | TRO |
| Facility ID: | 200000067055 |
| **Facility Status:** | **Closed** |
| Completed Date: | 05/22/1997 |
| Pollution Complaint Num: | 19972379 |
| Fed Regulated Tank: | No |
| Phase Code: | CLOSURE |
| Event Description: | Case Closure Date - Letter Sent |
| Comments: | CASE CLOSED. |

LTANKS:

| | |
|---|---|
| Name: | SMITHFIELD FOODS CORPORATE OFFIC |
| Address: | 200 COMMERCE STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Region: | Not reported |
| CEDS Facility Id: | 200000067055 |
| **Case Status:** | **Closed** |
| Pollution Complaint #: | 19972379 |
| Reported: | 04/04/1997 |
| Case Closed Date: | 05/22/1997 |
| Program: | Not reported |
| Federally Regulated UST (Y/N): | Not reported |
| Regulated Petroleum UST (1): | Not reported |
| Excluded UST (1): | Not reported |
| Deferred UST (1): | Not reported |
| Partially Deferred UST (1): | Not reported |
| Exempt 1 UST (2): | Not reported |
| Exempt 2 Heating Oil UST (2): | Not reported |
| Small Heating Oil AST (2): | Not reported |
| Regulated AST (3): | Not reported |
| Unregulated AST (3): | Not reported |
| Other Y/N: | Not reported |
| Unknown Y/N: | Not reported |
| Other Description: | Not reported |
| Heating Oil Category: | Not reported |
| Changed By: | seburkett |
| Changed Date: | 03/23/2007 |
| Inserted By: | Not reported |
| Inserted Date: | Not reported |

**SMITHFIELD FOODS CORPORATE OFFICES (Continued)** **U003692931**

| | |
|---|---|
| Verified By: | Not reported |
| Verify Date: | Not reported |
| Reference Point: | Not reported |
| RST ID: | 13241 |
| RST Poll Complaint Number: | 19972379 |
| Des First Name: | Joseph |
| Des Last Name: | Fly |
| RST Rec Code: | TRO |
| RST Priority: | Not reported |
| RST Fed Reg Tank: | N |
| RST Responsibility Ind: | RP Lead |
| RST Suspect Confirm Ind: | Suspected |
| Facility Location: | Not reported |
| FIC Description: | Isle of Wight County |
| Latitude: | 36.9838437977374 |
| Longitude: | -76.630088300902 |

Facility:

| | |
|---|---|
| Name: | SMITHFIELD FOODS CORPORATE OFFICES |
| Address: | 200 COMMERCE STREET |
| City,State,Zip: | SMITHFIELD, VA 23430 |
| Facility Id: | 5028077 |
| Facility Type: | COMMERCIAL |
| CEDS Facility ID: | 200000067055 |

Owner:

| | |
|---|---|
| Owner Id: | 30540 |
| Owner Name: | Smithfield Foods Inc |
| Owner Address: | 200 Commerce St |
| Owner Address2: | Not reported |
| Owner City, State, Zip: | Smithfield, VA 23430 |
| Owner Type: | COMMERCIAL |
| Number of Active AST: | 0 |
| Number of Active UST: | 0 |
| Number of Inactive AST: | 0 |
| Number of Inactive UST: | 1 |

UST:

| | |
|---|---|
| Facility ID: | 5028077 |
| Federally Regulated: | Yes |
| Tank Number: | R1 |
| Tank Capacity: | 1000 |
| Tank Contents: | USED OIL |
| **Tank Status:** | **REM FROM GRD** |
| Tank Type: | UST |

Tank Material:

| | |
|---|---|
| Install Date: | Not reported |
| Tank Materials: Bare Steel | Yes |
| Tank Materials: Cath Protect Steel | No |
| Tank Materials: Epoxy Steel | No |
| Tank Materials: Fiberglass | No |
| Tank Materials: Concrete | No |
| Tank Materials: Composite | No |
| Tank Materials: Double Walled | No |
| Tank Materials: Lined Interior | No |

**SMITHFIELD FOODS CORPORATE OFFICES (Continued)** **U003692931**

| | |
|---|---|
| Tank Materials: Excav Liner | No |
| Tank Materials: Insulated Tank Jacket | No |
| Tank Materials: Repaired | No |
| Tank Materials: Unknown | No |
| Tank Materials: Other | No |
| Tank Materials: Other Note | Not reported |

Release Detection:

| | |
|---|---|
| Tank Release Detection: Leak Deferred | No |
| Tank Release Detection: Manual Gauge | No |
| Tank Release Detection: Auto Gauge | No |
| Tank Release Detection:Tank Tightness | No |
| Tank Release Detection: Vapor Monitor | No |
| Tank Release Detection: Inventory | No |
| Tank Release Detection: Stat Invent Recon | No |
| Tank Release Detection: Spill Install | No |
| Tank Release Detection: Overfill Install | No |
| Tank Release Detection: Groundwater | No |
| Tank Release Detection: Int Sec Containment | No |
| Tank Release Detection: Int Double Walled | No |
| Tank Release Detection: Other Method | No |
| Tank Release Detection: Other Note | Not reported |
| Pipe Release Detection: Leak Deferred | Not reported |
| Pipe Release Detection: Autoleak | Not reported |
| Pipe Release Detection: Line Tightness | No |
| Pipe Release Detection: Stat Invent Recon | No |
| Pipe Release Detection: Groundwater | No |
| Pipe Release Detection: Int Sec Containment | No |
| Pipe Release Det: Interior Double Walled | No |
| Pipe Release Detection: Other Method | No |
| Pipe Release Detection: Other Note | Not reported |

| | |
|---|---|
| Pipe Type: | GRAVITY |
| Pipe Materials: Bare Steel | Yes |
| Pipe Materials: Galvanized Steel | No |
| Pipe Materials: Copper | No |
| Pipe Materials: Fiberglass | No |
| Pipe Materials: Cath Protect | No |
| Pipe Materials: Double Walled | No |
| Pipe Materials: Sec Containment | No |
| Pipe Materials: Repaired | No |
| Pipe Materials: Unknown | No |
| Pipe Materials: Other | No |
| Pipe Materials: Other Note | Not reported |

Count: 1 records. ORPHAN SUMMARY

| City | EDR ID | Site Name | Site Address | Zip | Database(s) |
|---|---|---|---|---|---|
| SMITHFIELD | S107614926 | GWALTNEY TREY PROPERTY | LOTS 16 17 AND 18 RIVERVIEW AV | 23430 | LUST, LTANKS |

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

**STANDARD ENVIRONMENTAL RECORDS**

***Lists of Federal NPL (Superfund) sites***

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

***Lists of Federal Delisted NPL sites***

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Quarterly

***Lists of Federal sites subject to CERCLA removals and CERCLA orders***

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 09/25/2023
Date Data Arrived at EDR: 09/26/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 77

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 12/20/2023
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/22/2024
Data Release Frequency: Quarterly

***Lists of Federal CERCLA sites with NFRAP***

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/22/2024
Data Release Frequency: Quarterly

***Lists of Federal RCRA facilities undergoing Corrective Action***

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

***Lists of Federal RCRA TSD facilities***

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 800-438-2474
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

***Lists of Federal RCRA generators***

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 800-438-2474
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 800-438-2474
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 800-438-2474
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

***Federal institutional controls / engineering controls registries***

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/03/2023
Date Data Arrived at EDR: 08/07/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 64

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 11/02/2023
Next Scheduled EDR Contact: 02/19/2024
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/21/2023
Date Data Arrived at EDR: 08/21/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/17/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 08/21/2023
Date Data Arrived at EDR: 08/21/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/17/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

***Federal ERNS list***

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/18/2023
Date Data Arrived at EDR: 09/20/2023
Date Made Active in Reports: 12/11/2023
Number of Days to Update: 82

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 12/13/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

***Lists of state- and tribal hazardous waste facilities***

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: Department of Environmental Quality
Telephone: 804-698-4236
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 03/25/2024
Data Release Frequency: N/A

***Lists of state and tribal landfills and solid waste disposal facilities***

SWF/LF: Solid Waste Management Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/23/2023
Date Data Arrived at EDR: 08/29/2023
Date Made Active in Reports: 09/05/2023
Number of Days to Update: 7

Source: Department of Environmental Quality
Telephone: 804-698-4238
Last EDR Contact: 12/19/2023
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Semi-Annually

***Lists of state and tribal leaking storage tanks***

LUST REG WC: Leaking Underground Storage Tank List

Leaking underground storage tank site locations. Includes: counties of Alleghany, Bedford, Botetourt, Craig, Floyd, Franklin, Giles, Henry, Montgomery, Patrick, Pulaski, Roanoke; cities of Bedford, Clifton Forge, Covington, Martinsville, Radford, Roanoke, Salem.

Date of Government Version: 06/04/2015
Date Data Arrived at EDR: 06/05/2015
Date Made Active in Reports: 07/07/2015
Number of Days to Update: 32

Source: Department of Environmental Quality West Central Regional Office
Telephone: 540-562-6700
Last EDR Contact: 08/29/2016
Next Scheduled EDR Contact: 12/12/2016
Data Release Frequency: No Update Planned

LUST REG TD: Leaking Underground Storage Tank Sites

Leaking underground storage tank site locations. Includes: counties of Accomack, Isle of Wight, James City, Northampton, Southampton, York; cities of Chesapeake, Franklin, Hampton, Newport News, Norfolk, Poquoson, Portsmouth, Suffolk, Virginia Beach, Williamsburg.

Date of Government Version: 06/30/2013
Date Data Arrived at EDR: 07/05/2013
Date Made Active in Reports: 09/16/2013
Number of Days to Update: 73

Source: Department of Environmental Quality Tidewater Regional Office
Telephone: trofoia@deq.vir
Last EDR Contact: 09/26/2016
Next Scheduled EDR Contact: 01/09/2017
Data Release Frequency: Quarterly

LUST REG SW: Leaking Underground Storage Tank Database
Leaking underground storage tank site locations. Includes: counties of Bland, Buchanan, Carroll, Dickenson, Grayson, Lee, Russell, Scott, Smyth, Tazewell, Washington, Wise, Wythe; cities of Bristol, Galax, Norton.

Date of Government Version: 07/15/2013
Date Data Arrived at EDR: 07/18/2013
Date Made Active in Reports: 09/16/2013
Number of Days to Update: 60
Source: Department of Environmental Quality Southwest Regional Office
Telephone: 276-676-4800
Last EDR Contact: 10/11/2016
Next Scheduled EDR Contact: 01/23/2017
Data Release Frequency: No Update Planned

LUST REG SC: Leaking Underground Storage Tanks
Leaking underground storage tank site locations. Includes: counties of Amherst, Appomattox, Buckingham, Campbell, Charlotte, Cumberland, Halifax, Lunenburg, Mecklenburg, Nottoway, Pittsylvania, Prince Deward; cities of Danville, Lynchburg.

Date of Government Version: 09/06/2013
Date Data Arrived at EDR: 09/06/2013
Date Made Active in Reports: 09/17/2013
Number of Days to Update: 11
Source: Department of Environmental Quality, South Central Region
Telephone: 434-582-5120
Last EDR Contact: 08/29/2016
Next Scheduled EDR Contact: 12/12/2016
Data Release Frequency: Semi-Annually

LUST REG PD: Leaking Underground Storage Tank Sites
Leaking underground storage tank site locaitons. Includes: counties of Amelia, Brunswick, Charles City, Chesterfield, Dinwiddie, Essex, Gloucester, Goochland, Greensville, Hanover, Henrico, King and Queen, King William, Lancaster, Mathews, Middlesex, New Kent, Northumberland, Powhatan, Prince George, Richmond, Surry, Sussex, Westmoreland; cities of Colonial Heights, Emporia, Hopewell, Petersburg.

Date of Government Version: 12/02/2014
Date Data Arrived at EDR: 12/04/2014
Date Made Active in Reports: 01/16/2015
Number of Days to Update: 43
Source: Department of Environmental Quality Piedmont Regional Office
Telephone: 804-527-5020
Last EDR Contact: 08/29/2016
Next Scheduled EDR Contact: 12/12/2016
Data Release Frequency: Quarterly

LUST REG NO: Leaking Underground Storage Tank Tracking Database
Leaking underground storage tank site locations. Includes: counties of Arlington, Caroline, Culpeper, Fairfax, Fauquier, King George, Loudoun, Louisa, Madison, Orange, Prince William, Rappahannock, Spotsylvania, Stafford; cities of Alexandria, Fairfax, Falls Church, Fredericksburg, Manassas, Manassas Park.

Date of Government Version: 05/18/2004
Date Data Arrived at EDR: 05/22/2004
Date Made Active in Reports: 07/09/2004
Number of Days to Update: 48
Source: Department of Environmental Quality Northern Regional Office
Telephone: 703-583-3800
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG VA: Leaking Underground Storage Tank List
Leaking underground storage tank site locations. Includes: counties of Albemarle, Augusta, Bath, Clarke, Fluvanna, Frederick, Greene, Highland, Nelson, Page, Rockbridge, Rockingham, Shenandoah, Warren; cities of Buena Vista, Charlottesville, Harrisonburg, Lexington, Staunton, Waynesboro, Winchester.

Date of Government Version: 12/06/2011
Date Data Arrived at EDR: 12/08/2011
Date Made Active in Reports: 01/16/2012
Number of Days to Update: 39
Source: Department of Environmental Quality Valley Regional Office
Telephone: 540-574-7800
Last EDR Contact: 08/29/2016
Next Scheduled EDR Contact: 12/12/2016
Data Release Frequency: No Update Planned

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/19/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/25/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/19/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/14/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/26/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

LTANKS: Leaking Petroleum Storage Tanks
Includes releases of petroleum from underground storage tanks and aboveground storage tanks.

Date of Government Version: 08/02/2023
Date Data Arrived at EDR: 08/22/2023
Date Made Active in Reports: 11/08/2023
Number of Days to Update: 78
Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Quarterly

***Lists of state and tribal registered storage tanks***

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 03/08/2023
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 05/30/2023
Number of Days to Update: 82
Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 12/26/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

UST: Registered Petroleum Storage Tanks
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 07/04/2023
Date Data Arrived at EDR: 08/22/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 77
Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Quarterly

AST: Registered Petroleum Storage Tanks
Registered Aboveground Storage Tanks.

Date of Government Version: 07/04/2023
Date Data Arrived at EDR: 08/22/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 77
Source: Department of Environmental Quality
Telephone: 804-698-4010
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Quarterly

INDIAN UST R5: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/14/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/26/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66
Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/20/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/25/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/19/2023
Date Data Arrived at EDR: 05/09/2023
Date Made Active in Reports: 07/14/2023
Number of Days to Update: 66

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 10/11/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

***State and tribal institutional control / engineering control registries***

ENG CONTROLS: Engineering Controls Sites Listing

A listing of sites with Engineering Controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/05/2023
Date Data Arrived at EDR: 10/06/2023
Date Made Active in Reports: 12/22/2023
Number of Days to Update: 77

Source: Department of Environmental Quality
Telephone: 804-698-4228
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Quarterly

INST CONTROL: Voluntary Remediation Program Database

Sites included in the Voluntary Remediation Program database that have deed restrictions.

Date of Government Version: 09/05/2023
Date Data Arrived at EDR: 10/06/2023
Date Made Active in Reports: 12/22/2023
Number of Days to Update: 77

Source: Department of Environmental Quality
Telephone: 804-698-4228
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Quarterly

***Lists of state and tribal voluntary cleanup sites***

VRP: Voluntary Remediation Program

The Voluntary Cleanup Program encourages owners of elected contaminated sites to take the initiative and conduct voluntary cleanups that meet state environmental standards.

Date of Government Version: 09/05/2023
Date Data Arrived at EDR: 10/06/2023
Date Made Active in Reports: 12/22/2023
Number of Days to Update: 77

Source: Department of Environmental Quality
Telephone: 804-698-4228
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Quarterly

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 12/12/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Varies

***Lists of state and tribal brownfield sites***

BROWNFIELDS: Brownfields Site Specific Assessments

To qualify for Brownfields Assessment, the site must meet the Federal definition of a Brownfields and should have contaminant issues that need to be addressed and a redevelopment plan supported by the local government and community. Virginia's Department of Environmental Quality performs brownfields assessments under a cooperative agreement with the U.S. Environmental Protection Agency at no cost to communities, property owners or, prospective purchasers. The assessment is an evaluation of environmental impacts caused by previous site uses similar to a Phase II Environmental Assessment.

Date of Government Version: 07/17/2023
Date Data Arrived at EDR: 07/19/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 83

Source: Department of Environmental Quality
Telephone: 804-698-4207
Last EDR Contact: 10/17/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Quarterly

**ADDITIONAL ENVIRONMENTAL RECORDS**

***Local Brownfield lists***

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 08/15/2023
Date Data Arrived at EDR: 08/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 93

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 12/14/2023
Next Scheduled EDR Contact: 03/25/2024
Data Release Frequency: Semi-Annually

***Local Lists of Landfill / Solid Waste Disposal Sites***

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 10/23/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 10/10/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 10/28/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Varies

***Local Lists of Hazardous waste / Contaminated Sites***

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 08/21/2023
Date Data Arrived at EDR: 08/21/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 78

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/17/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/21/2023
Date Data Arrived at EDR: 08/21/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 78

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/17/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Quarterly

***Local Land Records***

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 12/04/2023
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Semi-Annually

***Records of Emergency Release Reports***

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/18/2023
Date Data Arrived at EDR: 09/20/2023
Date Made Active in Reports: 11/14/2023
Number of Days to Update: 55

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 12/13/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

SPILLS BRL: Prep/Spills Database Listing

A listing of spills locations located in the Blue Ridge Regional area, Lynchburg.

Date of Government Version: 09/18/2009
Date Data Arrived at EDR: 09/18/2009
Date Made Active in Reports: 10/06/2009
Number of Days to Update: 18

Source: DEQ, Blue Ridge Regional Office
Telephone: 434-582-6218
Last EDR Contact: 11/28/2011
Next Scheduled EDR Contact: 03/12/2012
Data Release Frequency: Varies

SPILLS WC: Prep Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/21/2009
Date Data Arrived at EDR: 09/29/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 31

Source: Department of Environmental Quality, West Central Region
Telephone: 540-562-6700
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

SPILLS PC: Pollution Complaint Database

Pollution Complaints Database. The pollution reports contained in the PC database include the initial release reporting of Leaking Underground Storage Tanks and all other releases of petroleum to the environment as well as releases to state waters. The database is current through 12/1/93. Since that time, all spill and pollution reporting information has been collected and tracked through the DEQ regional offices.

Date of Government Version: 06/01/1996
Date Data Arrived at EDR: 10/22/1996
Date Made Active in Reports: 11/21/1996
Number of Days to Update: 30

Source: Department of Environmental Quality
Telephone: 804-698-4287
Last EDR Contact: 03/08/2010
Next Scheduled EDR Contact: 06/21/2010
Data Release Frequency: No Update Planned

SPILLS NO: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/23/2009
Date Data Arrived at EDR: 09/29/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 31

Source: Department of Environmental Quality, Northern Region
Telephone: 703-583-3864
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

SPILLS PD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 10/20/2009
Date Data Arrived at EDR: 10/29/2009
Date Made Active in Reports: 12/03/2009
Number of Days to Update: 35

Source: Department of Environmental Quality, Piedmont Region
Telephone: 804-527-5020
Last EDR Contact: 02/06/2012
Next Scheduled EDR Contact: 05/21/2012
Data Release Frequency: Quarterly

SPILLS: Prep/Spills Database Listing

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment. PREP staff often work to assist local emergency responders, other state agencies, federal agencies, and responsible parties, as may be needed, to manage pollution incidents. Oil spills, fish kills, and hazardous materials spills are examples of incidents that may involve the DEQ's PREP Program.

Date of Government Version: 08/21/2023
Date Data Arrived at EDR: 08/22/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 77

Source: Department of Environmental Quality
Telephone: 804-698-4287
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Quarterly

SPILLS VA: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 08/08/2012
Date Data Arrived at EDR: 08/09/2012
Date Made Active in Reports: 10/05/2012
Number of Days to Update: 57

Source: Department of Environmental Quality, Valley Regional Office
Telephone: 540-574-7800
Last EDR Contact: 05/06/2013
Next Scheduled EDR Contact: 08/19/2013
Data Release Frequency: Quarterly

SPILLS TD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/17/2009
Date Data Arrived at EDR: 09/23/2009
Date Made Active in Reports: 10/06/2009
Number of Days to Update: 13

Source: Department of Environmental Quality, Tidewater Region
Telephone: trofoia@deq.vir
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: Quarterly

SPILLS SW: Reportable Spills

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 01/21/2010
Date Data Arrived at EDR: 01/22/2010
Date Made Active in Reports: 02/16/2010
Number of Days to Update: 25

Source: Department of Environmental Quality, Southwest Region
Telephone: 276-676-4839
Last EDR Contact: 07/13/2012
Next Scheduled EDR Contact: 10/29/2012
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/01/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/15/2013
Number of Days to Update: 43

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

***Other Ascertainable Records***

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/04/2023
Date Data Arrived at EDR: 12/06/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 800-438-2474
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 08/07/2023
Date Data Arrived at EDR: 08/15/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 56

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 11/10/2023
Next Scheduled EDR Contact: 02/26/2024
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/09/2023
Next Scheduled EDR Contact: 01/22/2024
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 11/08/2023
Next Scheduled EDR Contact: 02/19/2024
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/18/2023
Date Data Arrived at EDR: 09/20/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 12/13/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 10/31/2023
Next Scheduled EDR Contact: 02/12/2024
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 11/03/2023
Next Scheduled EDR Contact: 02/12/2024
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/14/2023
Next Scheduled EDR Contact: 03/25/2024
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 08/18/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 81

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/13/2023
Next Scheduled EDR Contact: 02/26/2024
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/17/2023
Date Data Arrived at EDR: 07/18/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 84

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/20/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 09/01/2023
Date Data Arrived at EDR: 09/27/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 85

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 09/26/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 12/04/2023
Next Scheduled EDR Contact: 02/12/2024
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2023
Date Data Arrived at EDR: 04/04/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 66

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/26/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/20/2023
Date Data Arrived at EDR: 09/01/2023
Date Made Active in Reports: 09/20/2023
Number of Days to Update: 19

Source: Nuclear Regulatory Commission
Telephone: 301-415-0717
Last EDR Contact: 10/10/2023
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 04/14/2023
Date Made Active in Reports: 07/10/2023
Number of Days to Update: 87

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 11/27/2023
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 11/27/2023
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 11/03/2023
Next Scheduled EDR Contact: 02/12/2024
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 12/19/2023
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2023
Date Data Arrived at EDR: 07/19/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 83

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 01/03/2024
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 04/01/2024
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 10/25/2023
Next Scheduled EDR Contact: 02/12/2024
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/09/2023
Next Scheduled EDR Contact: 02/26/2024
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 01/02/2024
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data
A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data
Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 01/02/2024
Date Data Arrived at EDR: 01/03/2024
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 1

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 01/03/2024
Next Scheduled EDR Contact: 02/19/2024
Data Release Frequency: Quarterly

US MINES: Mines Master Index File
Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/01/2023
Date Data Arrived at EDR: 08/22/2023
Date Made Active in Reports: 11/07/2023
Number of Days to Update: 77

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 11/17/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing
This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 01/07/2022
Date Data Arrived at EDR: 02/24/2023
Date Made Active in Reports: 05/17/2023
Number of Days to Update: 82

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing
Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 08/23/2022
Date Data Arrived at EDR: 11/22/2022
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 98

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 11/20/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 11/28/2023
Date Data Arrived at EDR: 11/29/2023
Date Made Active in Reports: 12/11/2023
Number of Days to Update: 12

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 11/28/2023
Next Scheduled EDR Contact: 03/18/2024
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/03/2023
Date Data Arrived at EDR: 11/08/2023
Date Made Active in Reports: 11/20/2023
Number of Days to Update: 12

Source: EPA
Telephone: (215) 814-5000
Last EDR Contact: 11/08/2023
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 11/15/2023
Next Scheduled EDR Contact: 03/04/2024
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/06/2023
Date Data Arrived at EDR: 09/13/2023
Date Made Active in Reports: 12/11/2023
Number of Days to Update: 89

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 04/22/2024
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 93

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/14/2023
Date Data Arrived at EDR: 08/15/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 65

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 11/10/2023
Next Scheduled EDR Contact: 02/26/2024
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 12/28/2023
Date Data Arrived at EDR: 12/28/2023
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 12/28/2023
Date Data Arrived at EDR: 12/28/2023
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 12/28/2023
Date Data Arrived at EDR: 12/28/2023
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020
Date Data Arrived at EDR: 03/17/2021
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 601

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 10/23/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 01/04/2024
Number of Days to Update: 93

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS ECHO FIRE TRAINING: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PFAS PART 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 09/23/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 12/21/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-267-2675
Last EDR Contact: 12/28/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: No Update Planned

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data

The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 07/16/2023
Date Data Arrived at EDR: 07/18/2023
Date Made Active in Reports: 08/28/2023
Number of Days to Update: 41

Source: Environmental Protection Agency
Telephone: 202-564-4700
Last EDR Contact: 01/03/2024
Next Scheduled EDR Contact: 01/29/2024
Data Release Frequency: Varies

PFAS: Per- and Polyfluoroalkyl Substances

PFOS and PFOA stand for perfluorooctane sulfonate and perfluorooctanoic acid, respectively. Both are fluorinated organic chemicals, part of a larger family of compounds referred to as perfluoroalkyl substances (PFASs).

Date of Government Version: 09/29/2023
Date Data Arrived at EDR: 10/04/2023
Date Made Active in Reports: 12/26/2023
Number of Days to Update: 83

Source: Department of Environmental Quality
Telephone: 804-698-4336
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

AIRS: Permitted Airs Facility List

A listing of permitted Airs facilities.

Date of Government Version: 09/11/2023
Date Data Arrived at EDR: 09/12/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 80

Source: Department of Environmental Quality
Telephone: 804-698-4000
Last EDR Contact: 12/06/2023
Next Scheduled EDR Contact: 03/25/2024
Data Release Frequency: Annually

CEDS: Comprehensive Environmental Data System

Virginia Water Protection Permits, Virginia Pollution Discharge System (point discharge) permits and Virginia Pollution Abatement (no point discharge) permits.

Date of Government Version: 09/11/2023
Date Data Arrived at EDR: 09/21/2023
Date Made Active in Reports: 12/12/2023
Number of Days to Update: 82

Source: Department of Environmental Quality
Telephone: 804-698-4077
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Quarterly

COAL ASH: Coal Ash Disposal Sites

A listing of facilities with coal ash impoundments.

Date of Government Version: 08/25/2023
Date Data Arrived at EDR: 08/29/2023
Date Made Active in Reports: 11/15/2023
Number of Days to Update: 78

Source: Department of Environmental Protection
Telephone: 804-698-4285
Last EDR Contact: 12/19/2023
Next Scheduled EDR Contact: 03/11/2024
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner List

A listing of registered drycleaners.

Date of Government Version: 08/28/2023
Date Data Arrived at EDR: 08/29/2023
Date Made Active in Reports: 11/15/2023
Number of Days to Update: 78

Source: Department of Environmental Quality
Telephone: 804-698-4407
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Actions Data

A listing of enforcement actions.

Date of Government Version: 09/26/2023
Date Data Arrived at EDR: 09/28/2023
Date Made Active in Reports: 10/24/2023
Number of Days to Update: 26

Source: Department of Environmental Quality
Telephone: 804-698-4031
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 04/08/2024
Data Release Frequency: Quarterly

Financial Assurance 1: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 07/20/2023
Date Data Arrived at EDR: 07/20/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 82

Source: Department of Environmental Quality
Telephone: 804-698-4205
Last EDR Contact: 10/23/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information listing
Solid waste financial assurance information.

Date of Government Version: 07/21/2023
Date Data Arrived at EDR: 07/25/2023
Date Made Active in Reports: 10/10/2023
Number of Days to Update: 77

Source: Department of Environmental Quality
Telephone: 804-698-4123
Last EDR Contact: 10/22/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Varies

TIER 2: Tier 2 Information Listing
A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 09/15/2023
Date Made Active in Reports: 12/07/2023
Number of Days to Update: 83

Source: Department of Environmental Quality
Telephone: 804-698-4159
Last EDR Contact: 12/11/2023
Next Scheduled EDR Contact: 03/25/2024
Data Release Frequency: No Update Planned

UIC: Underground Injection Control Wells
A listing of underground injection controls wells.

Date of Government Version: 07/24/2023
Date Data Arrived at EDR: 07/25/2023
Date Made Active in Reports: 07/26/2023
Number of Days to Update: 1

Source: Department of Mines, Minerals and Energy
Telephone: 276-415-9700
Last EDR Contact: 10/25/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Quarterly

**EDR HIGH RISK HISTORICAL RECORDS**

***EDR Exclusive Records***

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

**EDR RECOVERED GOVERNMENT ARCHIVES**

***Exclusive Recovered Govt. Archives***

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Virgina.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/20/2014
Number of Days to Update: 203

Source: Department of Environmental Quality
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Virgina and at the Regional VA Levels.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/15/2014
Number of Days to Update: 198

Source: Department of Environmental Quality
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

**OTHER DATABASE(S)**

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/07/2023
Date Data Arrived at EDR: 08/08/2023
Date Made Active in Reports: 10/24/2023
Number of Days to Update: 77

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/07/2023
Next Scheduled EDR Contact: 02/19/2024
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 12/27/2023
Next Scheduled EDR Contact: 04/15/2024
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 11/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 1

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 11/30/2023
Next Scheduled EDR Contact: 02/05/2024
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/05/2024
Next Scheduled EDR Contact: 04/22/2024
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/09/2022
Next Scheduled EDR Contact: 02/26/2024
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 11/29/2023
Next Scheduled EDR Contact: 03/18/2024
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 804-692-1900

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

**STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

**TARGET PROPERTY ADDRESS**

US 258 AND ROUTE 10 INTERSECTION
603 W MAIN STREET
SMITHFIELD, VA 23430

**TARGET PROPERTY COORDINATES**

| | |
|---|---|
| Latitude (North): | 36.977342 - 36° 58' 38.43'' |
| Longitude (West): | 76.640694 - 76° 38' 26.50'' |
| Universal Tranverse Mercator: | Zone 18 |
| UTM X (Meters): | 353965.1 |
| UTM Y (Meters): | 4093413.5 |
| Elevation: | 30 ft. above sea level |

**USGS TOPOGRAPHIC MAP**

| | |
|---|---|
| Target Property Map: | 50021590 SMITHFIELD, VA |
| Version Date: | 2022 |
| Southeast Map: | 50021583 BENNS CHURCH, VA |
| Version Date: | 2022 |

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**GROUNDWATER FLOW DIRECTION INFORMATION**

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


**TOPOGRAPHIC INFORMATION**

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

**TARGET PROPERTY TOPOGRAPHY**

General Topographic Gradient: General SE

**SURROUNDING TOPOGRAPHY: ELEVATION PROFILES**




**Target Property Elevation: 30 ft.**

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**HYDROLOGIC INFORMATION**

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

**FEMA FLOOD ZONE**

| Flood Plain Panel at Target Property | FEMA Source Type |
|---|---|
| 51093C0135D | FEMA FIRM Flood data |

| Additional Panels in search area: | FEMA Source Type |
|---|---|
| 51093C0155D | FEMA FIRM Flood data |

**NATIONAL WETLAND INVENTORY**

| NWI Quad at Target Property | NWI Electronic Data Coverage |
|---|---|
| SMITHFIELD | YES - refer to the Overview Map and Detail Map |

**HYDROGEOLOGIC INFORMATION**

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

***Site-Specific Hydrogeological Data*:***

| | |
|---|---|
| Search Radius: | 1.25 miles |
| Status: | Not found |

**AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

| MAP ID | LOCATION FROM TP | GENERAL DIRECTION GROUNDWATER FLOW |
|---|---|---|
| Not Reported | | |

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**GROUNDWATER FLOW VELOCITY INFORMATION**

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

**GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY**

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

**ROCK STRATIGRAPHIC UNIT**


| | |
|---|---|
| Era: | Cenozoic |
| System: | Tertiary |
| Series: | Miocene |
| Code: | Tm *(decoded above as Era, System & Series)* |

**GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

# SSURGO SOIL MAP - 7537503.2s




| | | | |
|---|---|---|---|
| SITE NAME: | US 258 and Route 10 Intersection | CLIENT: | Kimley Horn & Associates |
| ADDRESS: | 603 W Main Street<br>Smithfield VA 23430 | CONTACT: | Anna Gardner |
| LAT/LONG: | 36.977342 / 76.640694 | INQUIRY #: | 7537503.2s |
| | | DATE: | January 09, 2024 6:05 pm |

Copyright © 2024 EDR, Inc. © 2015 TomTom Rel. 2015.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY**

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

---

**Soil Map ID: 1**

Soil Component Name: Peawick

Soil Surface Texture: silt loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 69 inches

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 3 inches | silt loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 5.5<br>Min: 3.6 |
| 2 | 3 inches | 70 inches | clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 5.5<br>Min: 3.6 |

---

**Soil Map ID: 2**

Soil Component Name: Peawick

Soil Surface Texture: silt loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 69 inches

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 3 inches | silt loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 5.5<br>Min: 3.6 |
| 2 | 3 inches | 70 inches | clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 5.5<br>Min: 3.6 |

---

**Soil Map ID: 3**

Soil Component Name: Nevarc

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 69 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 3 inches | silt loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. | Max: 42 Min: 4 | Max: 6 Min: 3.6 |
| 2 | 3 inches | 57 inches | clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. | Max: 42 Min: 4 | Max: 6 Min: 3.6 |
| 3 | 57 inches | 63 inches | sandy clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. | Max: 42 Min: 4 | Max: 6 Min: 3.6 |

---

**Soil Map ID: 4**

Soil Component Name: Kinston

Soil Surface Texture: loam

Hydrologic Group: Class B/D - Drained/undrained hydrology class of soils that can be drained and are classified.

Soil Drainage Class: Poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 9 inches | loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. | Max: 14<br>Min: 4 | Max: 5.5<br>Min: 4.5 |
| 2 | 9 inches | 59 inches | sandy clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils. | COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. | Max: 14<br>Min: 4 | Max: 5.5<br>Min: 4.5 |

---

**Soil Map ID: 5**

Soil Component Name: Bohicket

Soil Surface Texture: silty clay loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Very poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 1 | 0 inches | 11 inches | silty clay loam | Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 8.4<br>Min: 6.1 |

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

| Soil Layer Information | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Boundary | | | Classification | | Saturated hydraulic conductivity micro m/sec | Soil Reaction (pH) |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | | |
| 2 | 11 inches | 59 inches | silty clay | Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils. | FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt. | Max: 0.42<br>Min: 0.01 | Max: 8.4<br>Min: 6.1 |

**LOCAL / REGIONAL WATER AGENCY RECORDS**

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

**WELL SEARCH DISTANCE INFORMATION**

| DATABASE | SEARCH DISTANCE (miles) |
|---|---|
| Federal USGS | 1.000 |
| Federal FRDS PWS | Nearest PWS within 1 mile |
| State Database | 1.000 |

**FEDERAL USGS WELL INFORMATION**

| MAP ID | WELL ID | LOCATION FROM TP |
|---|---|---|
| A2 | USGS40001201852 | 1/4 - 1/2 Mile NE |
| B3 | USGS40001201842 | 1/4 - 1/2 Mile WSW |
| 7 | USGS40001201862 | 1/2 - 1 Mile NNW |

**FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION**

| MAP ID | WELL ID | LOCATION FROM TP |
|---|---|---|
| A5 | VA3093640 | 1/4 - 1/2 Mile NNE |

Note: PWS System location is not always the same as well location.

**STATE DATABASE WELL INFORMATION**


| MAP ID | WELL ID | LOCATION FROM TP |
|---|---|---|

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**STATE DATABASE WELL INFORMATION**

| MAP ID | WELL ID | LOCATION FROM TP |
|---|---|---|
| A1 | VA7000000001046 | 1/4 - 1/2 Mile NNE |
| B4 | VA7000000001047 | 1/4 - 1/2 Mile West |
| 6 | VA7000000003194 | 1/4 - 1/2 Mile SW |

# PHYSICAL SETTING SOURCE MAP - 7537503.2s




County Boundary
Major Roads
Contour Lines
Airports
Earthquake epicenter, Richter 5 or greater
Water Wells
Public Water Supply Wells
Cluster of Multiple Icons

0 1/4 1/2 1 Miles

Groundwater Flow Direction
GI Indeterminate Groundwater Flow at Location
GV Groundwater Flow Varies at Location
HD Closest Hydrogeological Data
Oil, gas or related wells

N

| | | | |
|---|---|---|---|
| SITE NAME: | US 258 and Route 10 Intersection | CLIENT: | Kimley Horn & Associates |
| ADDRESS: | 603 W Main Street<br>Smithfield VA 23430 | CONTACT: | Anna Gardner |
| | | INQUIRY #: | 7537503.2s |
| LAT/LONG: | 36.977342 / 76.640694 | DATE: | January 09, 2024 6:05 pm |

Copyright © 2024 EDR, Inc. © 2015 TomTom Rel. 2015.

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

**A1**
**NNE** **VA WELLS** **VA7000000001046**
**1/4 - 1/2 Mile**
**Lower**

**WELLS:**

| | | | |
|---|---|---|---|
| TINWSF: | 2663810 | PWS ID: | 3093640 |
| System Name: | SMITHFIELD, TOWN OF | Type: | Well |
| Facility Name: | WELL 5 - CARY STREET | Fed Primary Src Class: | Groundwater |
| PWS Fed Class: | Community | Population Served: | 8089 |
| Max Production: | 1170000 GPD | Avg Daily Production: | 1050000 GPD |

---

**A2**
**NE** **FED USGS** **USGS40001201852**
**1/4 - 1/2 Mile**
**Higher**

| | | | |
|---|---|---|---|
| Organization ID: | USGS-VA | Organization Name: | USGS Virginia Water Science Center |
| Monitor Location: | 57D 8 | Type: | Well |
| Description: | Not Reported | HUC: | 02080206 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Potomac Group |
| Aquifer Type: | Confined single aquifer | Construction Date: | Not Reported |
| Well Depth: | 400 | Well Depth Units: | ft |
| Well Hole Depth: | 407 | Well Hole Depth Units: | ft |

| | | | |
|---|---|---|---|
| Ground water levels,Number of Measurements: | 1 | Level reading date: | 1972-12-01 |
| Feet below surface: | 80.00 | Feet to sea level: | Not Reported |
| Note: | Not Reported | | |

---

**B3**
**WSW** **FED USGS** **USGS40001201842**
**1/4 - 1/2 Mile**
**Higher**

| | | | |
|---|---|---|---|
| Organization ID: | USGS-VA | Organization Name: | USGS Virginia Water Science Center |
| Monitor Location: | 57D 7 | Type: | Well |
| Description: | Not Reported | HUC: | 02080206 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Upper Cretaceous Series |
| Aquifer Type: | Confined single aquifer | Construction Date: | Not Reported |
| Well Depth: | 437 | Well Depth Units: | ft |
| Well Hole Depth: | 437 | Well Hole Depth Units: | ft |

| | | | |
|---|---|---|---|
| Ground water levels,Number of Measurements: | 1 | Level reading date: | 1956-08-30 |
| Feet below surface: | 35.00 | Feet to sea level: | Not Reported |
| Note: | Not Reported | | |

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

**B4**
**West**
**1/4 - 1/2 Mile**
**Higher**

**VA WELLS** **VA7000000001047**

**WELLS:**

| | | | |
|---|---|---|---|
| TINWSF: | 2663811 | PWS ID: | 3093640 |
| System Name: | SMITHFIELD, TOWN OF | Type: | Well |
| Facility Name: | WELL 6 - JERSEY PARK | Fed Primary Src Class: | Groundwater |
| PWS Fed Class: | Community | Population Served: | 8089 |
| Max Production: | 1170000 GPD | Avg Daily Production: | 1050000 GPD |

---

**A5**
**NNE**
**1/4 - 1/2 Mile**
**Lower**

**FRDS PWS** **VA3093640**

| | | | |
|---|---|---|---|
| Epa region: | 03 | State: | VA |
| Pwsid: | VA3093640 | Pwsname: | SMITHFIELD, TOWN OF |
| Cityserved: | Not Reported | Stateserved: | VA |
| Zipserved: | Not Reported | Fipscounty: | 51093 |
| Status: | Active | Retpopsrvd: | 8089 |
| Pwssvcconn: | 2973 | Psource longname: | Groundwater |
| Pwstype: | CWS | Owner: | Local_Govt |
| Contact: | STEPHENSON, PETER M. | Contactorgname: | STEPHENSON, PETER M. |
| Contactphone: | 757-365-9505 | Contactaddress1: | 911 South Church St. |
| Contactaddress2: | P.O. BOX 246 | Contactcity: | SMITHFIELD |
| Contactstate: | VA | Contactzip: | 23430 |
| Pwsactivitycode: | A | | |

| | | | |
|---|---|---|---|
| Pwsid: | VA3093640 | Facid: | 30517 |
| Facname: | NATURAL FLUORIDATION WELL 1A | | |
| Factype: | Treatment_plant | Facactivitycode: | A |
| Trtobjective: | other | Trtprocess: | fluoridation |
| Factypecode: | TP | | |

| | | | |
|---|---|---|---|
| Pwsid: | VA3093640 | Facid: | 30985 |
| Facname: | NATURAL FLUORIDATION WELL 5 | | |
| Factype: | Treatment_plant | Facactivitycode: | A |
| Trtobjective: | other | Trtprocess: | fluoridation |
| Factypecode: | TP | | |

| | | | |
|---|---|---|---|
| Pwsid: | VA3093640 | Facid: | 30986 |
| Facname: | NATURAL FLUORIDATION WELL 6 | | |
| Factype: | Treatment_plant | Facactivitycode: | A |
| Trtobjective: | other | Trtprocess: | fluoridation |
| Factypecode: | TP | | |

| | | | |
|---|---|---|---|
| Pwsid: | VA3093640 | Facid: | 30987 |
| Facname: | NATURAL FLUORIDATION WELL 7 | | |
| Factype: | Treatment_plant | Facactivitycode: | I |
| Trtobjective: | other | Trtprocess: | fluoridation |
| Factypecode: | TP | | |

| | | | |
|---|---|---|---|
| Pwsid: | VA3093640 | Facid: | 30988 |
| Facname: | NATURAL FLUORIDATION WELL 8A | | |
| Factype: | Treatment_plant | Facactivitycode: | I |
| Trtobjective: | other | Trtprocess: | fluoridation |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

| | | | |
|---|---|---|---|
| Factypecode: | TP | | |
| Pwsid: | VA3093640 | Facid: | 34859 |
| Facname: | CHLORINATION | Factype: | Treatment_plant |
| Facactivitycode: | A | Trtobjective: | disinfection |
| Trtprocess: | hypochlorination, post | Factypecode: | TP |
| Pwsid: | VA3093640 | Facid: | 36438 |
| Facname: | REVERSE OSMOSIS FLUORIDE REMOVAL | | |
| Factype: | Treatment_plant | Facactivitycode: | A |
| Trtobjective: | inorganics removal | Trtprocess: | reverse osmosis |
| Factypecode: | TP | | |
| PWS ID: | VA3093640 | PWS name: | SMITHFIELD TOWN OF (SYST NO 1) |
| Address: | TOWN MGR 310 INSTITUTE ST | Care of: | Not Reported |
| City: | SMITHFIELD | State: | VA |
| Zip: | 23430 | Owner: | SMITHFIELD TOWN OF (SYST NO 1) |
| Source code: | Ground water | Population: | 5000 |
| PWS ID: | VA3093640 | PWS type: | System Owner/Responsible Party |
| PWS name: | TOWN OF SMITHFIELD | PWS address: | Not Reported |
| PWS city: | SMITHFIELD | PWS state: | VA |
| PWS zip: | 23430 | PWS name: | SMITHFIELD, TOWN OF |
| PWS type code: | C | Retail population served: | 6750 |
| Contact: | STEPHENSON, PETER M. | Contact address: | P.O. BOX 246 |
| Contact address: | SMITHFIELD | Contact city: | VA |
| Contact state: | 23 | Contact zip: | 757-365-42 |
| Contact telephone: | Not Reported | | |
| PWS ID: | VA3093640 | Activity status: | Active |
| Date system activated: | 7612 | Date system deactivated: | Not Reported |
| Retail population: | 00005000 | System name: | SMITHFIELD TOWN OF (SYST NO 1) |
| System address: | Not Reported | System address: | TOWN MGR 310 INSTITUTE ST |
| System city: | SMITHFIELD | System state: | VA |
| System zip: | 23430 | | |
| County FIPS: | 093 | City served: | ISLE OF WIGHT |
| Population served: | 3,301 - 5,000 Persons | Treatment: | Untreated |
| Latitude: | 365855 | Longitude: | 0763815 |
| State: | VA | Latitude degrees: | 36 |
| Latitude minutes: | 58 | Latitude seconds: | 55.0000 |
| Longitude degrees: | 76 | Longitude minutes: | 38 |
| Longitude seconds: | 15.0000 | | |
| Violation id: | 101 | Orig code: | S |
| State: | VA | Violation Year: | 2000 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 22 | Violation name: | MCL, Monthly (TCR) |
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | 0 | Unit of measure: | Not Reported |
| State mcl: | 0 | Cmp bdt: | 11/01/2000 |
| Cmp edt: | 11/30/2000 | | |
| Violation id: | 3360903 | Orig code: | S |
| State: | VA | Violation Year: | 2003 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 4.3 | Unit of measure: | Not Reported |

| | | | |
|---|---|---|---|
| State mcl: | 4 | Cmp bdt: | 01/01/2003 |
| Cmp edt: | 12/31/2005 | | |
| Violation id: | 3361004 | Orig code: | S |
| State: | VA | Violation Year: | 2003 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 4.6 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 07/01/2003 |
| Cmp edt: | 09/30/2003 | | |
| Violation id: | 3361104 | Orig code: | S |
| State: | VA | Violation Year: | 2003 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 4.6 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 10/01/2003 |
| Cmp edt: | 12/31/2003 | | |
| Violation id: | 3361204 | Orig code: | S |
| State: | VA | Violation Year: | 2004 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 4.5 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 01/01/2004 |
| Cmp edt: | 03/31/2004 | | |
| Violation id: | 3361304 | Orig code: | S |
| State: | VA | Violation Year: | 2004 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 5 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 04/01/2004 |
| Cmp edt: | 06/30/2004 | | |
| Violation id: | 3361405 | Orig code: | S |
| State: | VA | Violation Year: | 2004 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 5 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 07/01/2004 |
| Cmp edt: | 09/30/2004 | | |
| Violation id: | 3361505 | Orig code: | S |
| State: | VA | Violation Year: | 2004 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | 4.7 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 10/01/2004 |
| Cmp edt: | 12/31/2004 | | |
| Violation id: | 3361605 | Orig code: | S |
| State: | VA | Violation Year: | 2005 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 02 | Violation name: | MCL, Average |
| Rule code: | 333 | Rule name: | Other IOC |

| | | | |
|---|---|---|---|
| Violation measur: | 4.6 | Unit of measure: | Not Reported |
| State mcl: | 4 | Cmp bdt: | 01/01/2005 |
| Cmp edt: | 03/31/2005 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3361706 | Orig code: | S |
| State: | VA | Violation Year: | 2004 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 03 | Violation name: | Monitoring, Regular |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 07/01/2004 |
| Cmp edt: | 09/30/2004 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3361806 | Orig code: | S |
| State: | VA | Violation Year: | 2005 |
| Contamination code: | 1025 | Contamination Name: | Fluoride |
| Violation code: | 03 | Violation name: | Monitoring, Regular |
| Rule code: | 333 | Rule name: | Other IOC |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 04/01/2005 |
| Cmp edt: | 06/30/2005 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3361907 | Orig code: | S |
| State: | VA | Violation Year: | 2007 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 22 | Violation name: | MCL, Monthly (TCR) |
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 06/01/2007 |
| Cmp edt: | 06/30/2007 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3362008 | Orig code: | S |
| State: | VA | Violation Year: | 2007 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 24 | Violation name: | Monitoring, Routine Minor (TCR) |
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 11/01/2007 |
| Cmp edt: | 11/30/2007 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3362010 | Orig code: | S |
| State: | VA | Violation Year: | 2008 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 22 | Violation name: | MCL, Monthly (TCR) |
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 12/01/2008 |
| Cmp edt: | 12/31/2008 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3362011 | Orig code: | S |
| State: | VA | Violation Year: | 2009 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 22 | Violation name: | MCL, Monthly (TCR) |
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 07/01/2009 |
| Cmp edt: | 07/31/2009 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3362012 | Orig code: | S |
| State: | VA | Violation Year: | 2009 |
| Contamination code: | 3100 | Contamination Name: | Coliform (TCR) |
| Violation code: | 22 | Violation name: | MCL, Monthly (TCR) |

| | | | |
|---|---|---|---|
| Rule code: | 110 | Rule name: | TCR |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 10/01/2009 |
| Cmp edt: | 10/31/2009 | | |

| | | | |
|---|---|---|---|
| Violation id: | 3362015 | Orig code: | S |
| State: | VA | Violation Year: | 2012 |
| Contamination code: | 2456 | Contamination Name: | Total Haloacetic Acids (HAA5) |
| Violation code: | 27 | Violation name: | Monitoring and Reporting (DBP) |
| Rule code: | 210 | Rule name: | St1 DBP |
| Violation measur: | Not Reported | Unit of measure: | Not Reported |
| State mcl: | Not Reported | Cmp bdt: | 01/01/2012 |
| Cmp edt: | 12/31/2012 | | |

| | | | |
|---|---|---|---|
| Violation ID: | 101 | Orig Code: | S |
| Enforcemnt FY: | 2001 | Enforcement Action: | 11/15/2000 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 101 | Orig Code: | S |
| Enforcemnt FY: | 2001 | Enforcement Action: | 11/09/2000 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 101 | Orig Code: | S |
| Enforcemnt FY: | 2001 | Enforcement Action: | 11/09/2000 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3360903 | Orig Code: | S |
| Enforcemnt FY: | 2003 | Enforcement Action: | 08/08/2003 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3360903 | Orig Code: | S |
| Enforcemnt FY: | 2003 | Enforcement Action: | 07/16/2003 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3360903 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |

| | | | |
|---|---|---|---|
| Violation ID: | 3360903 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |

| | | | |
|---|---|---|---|
| Violation ID: | 3360903 | Orig Code: | S |
| Enforcemnt FY: | 2003 | Enforcement Action: | 07/16/2003 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3361004 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |

| | | | |
|---|---|---|---|
| Violation ID: | 3361004 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 01/12/2005 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3361004 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |

| | | | |
|---|---|---|---|
| Violation ID: | 3361004 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 11/06/2003 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3361004 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 05/10/2004 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361104 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 02/26/2004 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361104 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |
| Violation ID: | 3361104 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361104 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 02/26/2004 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361104 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 03/29/2004 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361204 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361204 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 06/08/2004 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361204 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 12/15/2004 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361204 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 06/08/2004 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361204 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |
| Violation ID: | 3361304 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 08/31/2004 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361304 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 08/31/2004 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361304 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361304 | Orig Code: | S |
| Enforcemnt FY: | 2004 | Enforcement Action: | 09/24/2004 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361304 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |

| | | | |
|---|---|---|---|
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |
| Violation ID: | 3361405 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 12/02/2004 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361405 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361405 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 12/02/2004 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361405 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 12/15/2004 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361405 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 10/20/2004 |
| Enforcement Detail: | St BCA signed | Enforcement Category: | Formal |
| Violation ID: | 3361505 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 02/10/2005 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361505 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 02/10/2005 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361505 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361605 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 06/20/2005 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361605 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 05/09/2005 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361605 | Orig Code: | S |
| Enforcemnt FY: | 2005 | Enforcement Action: | 05/09/2005 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361605 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361706 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 12/29/2005 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361706 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361706 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 12/29/2005 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |

| | | | |
|---|---|---|---|
| Violation ID: | 3361806 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 07/01/2006 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361806 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 12/29/2005 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361806 | Orig Code: | S |
| Enforcemnt FY: | 2006 | Enforcement Action: | 12/29/2005 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3361907 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 06/22/2009 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3361907 | Orig Code: | S |
| Enforcemnt FY: | 2007 | Enforcement Action: | 08/28/2007 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3361907 | Orig Code: | S |
| Enforcemnt FY: | 2007 | Enforcement Action: | 06/28/2007 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3361907 | Orig Code: | S |
| Enforcemnt FY: | 2007 | Enforcement Action: | 06/28/2007 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362008 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 06/22/2009 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3362008 | Orig Code: | S |
| Enforcemnt FY: | 2008 | Enforcement Action: | 04/22/2008 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3362008 | Orig Code: | S |
| Enforcemnt FY: | 2008 | Enforcement Action: | 12/17/2007 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3362008 | Orig Code: | S |
| Enforcemnt FY: | 2008 | Enforcement Action: | 12/17/2007 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362010 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 12/12/2008 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3362010 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 01/12/2009 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3362010 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 06/22/2009 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3362010 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 12/12/2008 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362011 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 04/26/2010 |

| | | | |
|---|---|---|---|
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3362011 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 10/16/2009 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3362011 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 09/28/2009 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362011 | Orig Code: | S |
| Enforcemnt FY: | 2009 | Enforcement Action: | 09/28/2009 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3362012 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 04/26/2010 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| Violation ID: | 3362012 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 01/28/2010 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3362012 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 01/28/2010 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362012 | Orig Code: | S |
| Enforcemnt FY: | 2010 | Enforcement Action: | 04/12/2010 |
| Enforcement Detail: | St Public Notif received | Enforcement Category: | Informal |
| Violation ID: | 3362015 | Orig Code: | S |
| Enforcemnt FY: | 2013 | Enforcement Action: | 04/01/2013 |
| Enforcement Detail: | St Formal NOV issued | Enforcement Category: | Informal |
| Violation ID: | 3362015 | Orig Code: | S |
| Enforcemnt FY: | 2013 | Enforcement Action: | 04/01/2013 |
| Enforcement Detail: | St Public Notif requested | Enforcement Category: | Informal |
| Violation ID: | 3362015 | Orig Code: | S |
| Enforcemnt FY: | 2013 | Enforcement Action: | 09/04/2013 |
| Enforcement Detail: | St Compliance achieved | Enforcement Category: | Resolving |
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 101 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 11/1/2000 0:00:00 | Compliance end date: | 11/30/2000 0:00:00 |
| Enforcement date: | 11/15/2000 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 0 | | |
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 101 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 11/1/2000 0:00:00 | Compliance end date: | 11/30/2000 0:00:00 |
| Enforcement date: | 11/9/2000 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 0 | | |
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 101 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |

| | | | |
|---|---|---|---|
| Compliance start date: | 11/1/2000 0:00:00 | Compliance end date: | 11/30/2000 0:00:00 |
| Enforcement date: | 11/9/2000 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 0 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3360903 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2003 0:00:00 | Compliance end date: | 12/31/2005 0:00:00 |
| Enforcement date: | 10/20/2004 0:00:00 | Enforcement action: | State BCA Signed |
| Violation measurement: | 4.3 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3360903 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2003 0:00:00 | Compliance end date: | 12/31/2005 0:00:00 |
| Enforcement date: | 7/16/2003 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 4.3 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3360903 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2003 0:00:00 | Compliance end date: | 12/31/2005 0:00:00 |
| Enforcement date: | 7/16/2003 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 4.3 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3360903 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2003 0:00:00 | Compliance end date: | 12/31/2005 0:00:00 |
| Enforcement date: | 8/8/2003 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 4.3 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361004 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 7/1/2003 0:00:00 | Compliance end date: | 9/30/2003 0:00:00 |
| Enforcement date: | 1/12/2005 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361004 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 7/1/2003 0:00:00 | Compliance end date: | 9/30/2003 0:00:00 |
| Enforcement date: | 10/20/2004 0:00:00 | Enforcement action: | State BCA Signed |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361004 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 7/1/2003 0:00:00 | Compliance end date: | 9/30/2003 0:00:00 |
| Enforcement date: | 11/6/2003 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361004 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 7/1/2003 0:00:00 | Compliance end date: | 9/30/2003 0:00:00 |
| Enforcement date: | 5/10/2004 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361104 |

| | | | |
|---|---|---|---|
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 10/1/2003 0:00:00 | Compliance end date: | 12/31/2003 0:00:00 |
| Enforcement date: | 10/20/2004 0:00:00 | Enforcement action: | State BCA Signed |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361104 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 10/1/2003 0:00:00 | Compliance end date: | 12/31/2003 0:00:00 |
| Enforcement date: | 2/26/2004 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361104 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 10/1/2003 0:00:00 | Compliance end date: | 12/31/2003 0:00:00 |
| Enforcement date: | 2/26/2004 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361104 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 10/1/2003 0:00:00 | Compliance end date: | 12/31/2003 0:00:00 |
| Enforcement date: | 3/29/2004 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361204 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2004 0:00:00 | Compliance end date: | 3/31/2004 0:00:00 |
| Enforcement date: | 10/20/2004 0:00:00 | Enforcement action: | State BCA Signed |
| Violation measurement: | 4.5 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361204 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2004 0:00:00 | Compliance end date: | 3/31/2004 0:00:00 |
| Enforcement date: | 12/15/2004 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 4.5 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361204 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2004 0:00:00 | Compliance end date: | 3/31/2004 0:00:00 |
| Enforcement date: | 6/8/2004 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 4.5 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361204 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2004 0:00:00 | Compliance end date: | 3/31/2004 0:00:00 |
| Enforcement date: | 6/8/2004 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 4.5 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361304 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 4/1/2004 0:00:00 | Compliance end date: | 6/30/2004 0:00:00 |
| Enforcement date: | 10/20/2004 0:00:00 | Enforcement action: | State BCA Signed |
| Violation measurement: | 5 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |

PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 4/1/2004 0:00:00
Enforcement date: 8/31/2004 0:00:00
Violation measurement: 5
Violation ID: 3361304
Violation type: 2
Compliance end date: 6/30/2004 0:00:00
Enforcement action: State Formal NOV Issued

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 4/1/2004 0:00:00
Enforcement date: 8/31/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361304
Violation type: 2
Compliance end date: 6/30/2004 0:00:00
Enforcement action: State Public Notif Requested

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 4/1/2004 0:00:00
Enforcement date: 9/24/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361304
Violation type: 2
Compliance end date: 6/30/2004 0:00:00
Enforcement action: State Public Notif Received

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 7/1/2004 0:00:00
Enforcement date: 10/20/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361405
Violation type: 2
Compliance end date: 9/30/2004 0:00:00
Enforcement action: State BCA Signed

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 7/1/2004 0:00:00
Enforcement date: 12/15/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361405
Violation type: 2
Compliance end date: 9/30/2004 0:00:00
Enforcement action: State Public Notif Received

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 7/1/2004 0:00:00
Enforcement date: 12/2/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361405
Violation type: 2
Compliance end date: 9/30/2004 0:00:00
Enforcement action: State Formal NOV Issued

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 7/1/2004 0:00:00
Enforcement date: 12/2/2004 0:00:00
Violation measurement: 5
Population served: 6750
Violation ID: 3361405
Violation type: 2
Compliance end date: 9/30/2004 0:00:00
Enforcement action: State Public Notif Requested

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 10/1/2004 0:00:00
Enforcement date: 2/10/2005 0:00:00
Violation measurement: 4.7
Population served: 6750
Violation ID: 3361505
Violation type: 2
Compliance end date: 12/31/2004 0:00:00
Enforcement action: State Formal NOV Issued

PWS name: SMITHFIELD, TOWN OF
PWS type code: C
Contaminant: FLUORIDE
Compliance start date: 10/1/2004 0:00:00
Enforcement date: 2/10/2005 0:00:00
Violation measurement: 4.7
Population served: 6750
Violation ID: 3361505
Violation type: 2
Compliance end date: 12/31/2004 0:00:00
Enforcement action: State Public Notif Requested

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361605 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2005 0:00:00 | Compliance end date: | 3/31/2005 0:00:00 |
| Enforcement date: | 5/9/2005 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361605 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2005 0:00:00 | Compliance end date: | 3/31/2005 0:00:00 |
| Enforcement date: | 5/9/2005 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361605 |
| Contaminant: | FLUORIDE | Violation type: | 2 |
| Compliance start date: | 1/1/2005 0:00:00 | Compliance end date: | 3/31/2005 0:00:00 |
| Enforcement date: | 6/20/2005 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | 4.6 | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361706 |
| Contaminant: | FLUORIDE | Violation type: | 3 |
| Compliance start date: | 7/1/2004 0:00:00 | Compliance end date: | 9/30/2004 0:00:00 |
| Enforcement date: | 12/29/2005 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361706 |
| Contaminant: | FLUORIDE | Violation type: | 3 |
| Compliance start date: | 7/1/2004 0:00:00 | Compliance end date: | 9/30/2004 0:00:00 |
| Enforcement date: | 12/29/2005 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361806 |
| Contaminant: | FLUORIDE | Violation type: | 3 |
| Compliance start date: | 4/1/2005 0:00:00 | Compliance end date: | 6/30/2005 0:00:00 |
| Enforcement date: | 12/29/2005 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361806 |
| Contaminant: | FLUORIDE | Violation type: | 3 |
| Compliance start date: | 4/1/2005 0:00:00 | Compliance end date: | 6/30/2005 0:00:00 |
| Enforcement date: | 12/29/2005 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361907 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 6/1/2007 0:00:00 | Compliance end date: | 6/30/2007 0:00:00 |
| Enforcement date: | 6/28/2007 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361907 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 6/1/2007 0:00:00 | Compliance end date: | 6/30/2007 0:00:00 |

| | | | |
|---|---|---|---|
| Enforcement date: | 6/28/2007 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3361907 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 6/1/2007 0:00:00 | Compliance end date: | 6/30/2007 0:00:00 |
| Enforcement date: | 8/28/2007 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3362008 |
| Contaminant: | COLIFORM (TCR) | Violation type: | Monitoring, Routine Minor (TCR) |
| Compliance start date: | 11/1/2007 0:00:00 | Compliance end date: | 11/30/2007 0:00:00 |
| Enforcement date: | 12/17/2007 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3362008 |
| Contaminant: | COLIFORM (TCR) | Violation type: | Monitoring, Routine Minor (TCR) |
| Compliance start date: | 11/1/2007 0:00:00 | Compliance end date: | 11/30/2007 0:00:00 |
| Enforcement date: | 12/17/2007 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3362008 |
| Contaminant: | COLIFORM (TCR) | Violation type: | Monitoring, Routine Minor (TCR) |
| Compliance start date: | 11/1/2007 0:00:00 | Compliance end date: | 11/30/2007 0:00:00 |
| Enforcement date: | 4/22/2008 0:00:00 | Enforcement action: | State Public Notif Received |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3362010 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 12/1/2008 0:00:00 | Compliance end date: | 12/31/2008 0:00:00 |
| Enforcement date: | 12/12/2008 0:00:00 | Enforcement action: | State Formal NOV Issued |
| Violation measurement: | Not Reported | | |

| | | | |
|---|---|---|---|
| PWS name: | SMITHFIELD, TOWN OF | Population served: | 6750 |
| PWS type code: | C | Violation ID: | 3362010 |
| Contaminant: | COLIFORM (TCR) | | |
| Violation type: | Max Contaminant Level, Monthly (TCR) | | |
| Compliance start date: | 12/1/2008 0:00:00 | Compliance end date: | 12/31/2008 0:00:00 |
| Enforcement date: | 12/12/2008 0:00:00 | Enforcement action: | State Public Notif Requested |
| Violation measurement: | Not Reported | | |

---

**6**
**SW**
**1/4 - 1/2 Mile**
**Higher**

**VA WELLS** **VA7000000003194**

**WELLS:**

| | | | |
|---|---|---|---|
| TINWSF: | 2644052 | PWS ID: | 3093306 |
| System Name: | HEARN'S MOBILE HOME COURT | Type: | Well |
| Facility Name: | DRILLED WELL | Fed Primary Src Class: | Groundwater |
| PWS Fed Class: | Community | Population Served: | 110 |
| Max Production: | 20400 GPD | Avg Daily Production: | 11543 GPD |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

**7**
**NNW**
**1/2 - 1 Mile**
**Lower**

**FED USGS** **USGS40001201862**

| | | | |
|---|---|---|---|
| Organization ID: | USGS-VA | Organization Name: | USGS Virginia Water Science Center |
| Monitor Location: | 57D 9 | Type: | Well |
| Description: | Not Reported | HUC: | 02080206 |
| Drainage Area: | Not Reported | Drainage Area Units: | Not Reported |
| Contrib Drainage Area: | Not Reported | Contrib Drainage Area Unts: | Not Reported |
| Aquifer: | Not Reported | Formation Type: | Not Reported |
| Aquifer Type: | Not Reported | Construction Date: | Not Reported |
| Well Depth: | 367 | Well Depth Units: | ft |
| Well Hole Depth: | 387 | Well Hole Depth Units: | ft |

| | | | |
|---|---|---|---|
| Ground water levels,Number of Measurements: | 1 | Level reading date: | 1979-01-07 |
| Feet below surface: | 49.00 | Feet to sea level: | Not Reported |
| Note: | Not Reported | | |

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
# RADON

**AREA RADON INFORMATION**

EPA Region 3 Statistical Summary Readings for Zip Code: 23430

Number of sites tested: 8.

Maximum Radon Level: 3.2 pCi/L.
Minimum Radon Level: 0.9 pCi/L.

| pCi/L <4 | pCi/L 4-10 | pCi/L 10-20 | pCi/L 20-50 | pCi/L 50-100 | pCi/L >100 |
|---|---|---|---|---|---|
| 8 (100.00%) | 0 (0.00%) | 0 (0.00%) | 0 (0.00%) | 0 (0.00%) | 0 (0.00%) |

Federal EPA Radon Zone for ISLE OF WIGHT County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

## HYDROGEOLOGIC INFORMATION

AQUIFLOW$^{R}$ Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Virginia Public Water Supplies
Source: Department of Health, Office of Water Programs
Telephone: 804-786-1756

## OTHER STATE DATABASE INFORMATION

Virginia Oil and Gas Wells
Source: Department of Mines, Minerals and Energy
Telephone: 804-692-3200
A listing of oil and gas well locations.

RADON

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

EPA Region 3 Statistical Summary Readings
Source: Region 3 EPA
Telephone: 215-814-2082
Radon readings for Delaware, D.C., Maryland, Pennsylvania, Virginia and West Virginia.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

**STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.